

spa

Designed
Engineered
Manufactured
in the USA.

Waterway™



Notes

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



*Spa hose durometer
is designed specifically
for Spa application.*



AVAILABLE IN:

- Clear Vinyl: 1/8", 1/4", 3/8", 3/4", and 3/4" x 1 1/16"
- White Vinyl: 3/8", 3/4", and 1" x 1 1/4"
- Shur-Grip: 3/4", 3/4" thin, 1 1/2", and 2"
- Flex: 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2" thin, 2 1/2", and 3"

Hose and Tubing - Individual Rolls (unwrapped)

Call for pricing.

Part No.	Description	Color	Ft. / Roll
110-0100B	Vinyl - 1/8" x 1/4"	Clear (0), Red (R)	500
110-0110B	Vinyl - 1/4" x 3/8"	Clear (0), Red (4)	600
110-0120B	Vinyl - 3/8" x 9/16"	Clear (0), White (W)	500
110-0140B	Vinyl - 3/4" x 1"	Clear (0), White (W)	150
110-0150B	Vinyl - 3/4" x 1 1/16"	Clear	100
110-016WB	Vinyl - 1" x 1 1/4"	White	100
120-0110B	Flex - 1/2"	White (0), Black (1)	100
120-0120B	Flex - 3/4"	White (0), Black (1)	100
120-0130B	Flex - 1"	White (0), Black (1)	50
120-0180B	Flex - 1 1/4"	White (0), Black (1)	50
120-0140B	Flex - 1 1/2"	White (0), Black (1)	50
125-0110B	Flex - 1 1/2" x 100 ft.	White (0), Black (1)	100
120-0150B	Flex - 2"	White (0), Black (1)	50
125-0120B	Flex - 2" x 100 ft.	White (0), Black (1)	100
120-0250B	Flex - 2" thin	White (0), Black (1)	50
120-0160B	Flex - 2 1/2"	White (0), Black (1), Gray (7)	50
120-0170B	Flex - 3"	White (0), Black (1), Gray (7)	50
130-0110B	Shur-Grip - 3/4"	Clear/White	100
130-0210B	Shur-Grip - 3/4" thin	Clear/White (0), White (W)	100
130-0120B	Shur-Grip - 1 1/2"	Clear/White	50
130-0130B	Shur-Grip - 2"	Clear/White	50




Hose and Tubing - Pallets (unwrapped)

Call for pricing.

Part No.	Description	Color	Ft. / Pallet	Rolls / Pallet
110-0100PB	Vinyl - 1/8" x 1/4"	Clear (0), Red (R)	36,000	72
110-0110PB	Vinyl - 1/4" x 3/8"	Clear (0), Red (4)	33,000	55
110-0120PB	Vinyl - 3/8" x 9/16"	Clear (0), White (W)	20,000	40
110-0140PB	Vinyl - 3/4" x 1"	Clear (0), White (W)	6,000	40
110-0150PB	Vinyl - 3/4" x 1 1/16"	Clear	4,000	40
110-016WPB	Vinyl - 1" x 1 1/4"	White	2,800	28
120-0110PB	Flex - 1/2"	White (0), Black (1)	6,800	68
120-0120PB	Flex - 3/4"	White (0), Black (1)	5,600	56
120-0130PB	Flex - 1"	White (0), Black (1)	2,800	56
120-0180PB	Flex - 1 1/4"	White (0), Black (1)	1,200	24
120-0140PB	Flex - 1 1/2"	White (0), Black (1)	1,200	24
125-0110PB	Flex - 1 1/2" x 100 ft.	White (0), Black (1)	1,200	12
120-0150PB	Flex - 2"	White (0), Black (1)	900	18
125-0120PB	Flex - 2" x 100 ft.	White (0), Black (1)	900	9
120-0250PB	Flex - 2" thin	White (0), Black (1)	900	18
120-0160PB	Flex - 2 1/2"	White (0), Black (1), Gray (7)	800	16
120-0170PB	Flex - 3"	White (0), Black (1), Gray (7)	400	8
130-0110PB	Shur-Grip - 3/4"	Clear/White	5,600	56
130-0210PB	Shur-Grip - 3/4" thin	Clear/White (0), White (W)	5,600	56
130-0120PB	Shur-Grip - 1 1/2"	Clear/White	900	18
130-0130PB	Shur-Grip - 2"	Clear/White	800	16



Jets / Cluster Jet Internals




Cluster Jet Internals

Part No.	Description	Case Quantity	List (US \$)
215-9860	Ozone - Smooth	200	2.39
212-9870	Ozone - Stainless Steel	500	5.29
212-8400	Front Access - Pulsator - Smooth	200	4.16
215-9950	Fixed Directional - 5-Scalloped	500	2.93
215-9840	Large Face - Smooth	150	2.93
212-9890S	Non-Adjustable - Large Face - Stainless Steel - Thick	250	5.78
215-9820	Non-Adjustable - Large Face - Textured - Thick	500	2.93
215-9830	Large Face - Textured - 5-Scalloped	500	3.53
215-9960	Fixed Directional - Large Face - 5-Scalloped	500	4.14
212-9960S	Fixed Directional - Large Face - Stainless Steel	250	7.88
212-8810	Directional - Large Face - Smooth	250	4.15
212-8830	Directional - Large Face - 5-Scalloped	250	4.15
215-9900	Extra Large Face - 2 3/8" - Smooth	250	3.34
212-9900S	Extra Large Face - 2 3/8" - Stainless Steel	250	6.65
212-2190	Non-Adjustable Ozone Cluster - Eclipse - Plastic	200	4.15
212-2190S	Non-Adjustable Ozone Cluster - Eclipse - Stainless Steel	200	6.70



211-0380



212-0690



212-0090



212-0550




212-0560




212-0580

Ozone Cluster Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
211-0380	Straight Body - 1/2" S x 3/8" SMTH BRB Cluster/Ozone Jet Body	250	4.72
212-0090	EII Body - 3/8" RB Air x 3/4" RB Water with Nozzle	200	4.72
212-0540	EII Body - No Air x 3/4" S Water with Nozzle	180	4.72
212-0550	EII Body - 3/8" B Air x 3/4" SB Water with Nozzle	200	4.72
212-0560	EII Body - No Air x 1/2" S Water with Nozzle	180	4.72
212-0580	EII Body - 3/8" RB Air x 1/2" S Water with Nozzle	200	4.72
212-0590	EII Body - 3/8" RB Air x 3/4" S Water with Nozzle	180	4.72
212-0690	EII Body - 3/8" RB Air x 3/4" SB Water with O-ring groove	180	4.72



212-0500



212-4150

Universal Cluster Jets

Part No.	Description	Case Quantity	List (US \$)
212-0500	Universal Cluster Jet Body Assembly - 3/4" RB x 90° EII - Flat Gasket	200	5.03
212-0500G	Universal Cluster Jet Body Assembly - 3/4" RB x 90° EII - Grommet Gasket	200	5.03

Euro Blaster Jet Body and Wall Fitting Assembly

Part No.	Description	Case Quantity	List (US \$)
212-4150	3/4" RB x 3/8" SB - 1/2" Orifice - 25 GPM @ 15 PSI	200	9.45

Cluster Jet Accessories

Part No.	Description	Case Quantity	List (US \$)
711-9870	Cluster/Ozone Flat Gasket	500	0.58
711-9860	Cluster Grommet Gasket	500	0.58
711-4070	Cluster Gasket with O-ring Rib	500	0.58



711-9870



711-9860




Jets / Poly Jets



Standard Poly Jets

Part No.	Description	Case Weight	Case Quantity	List (US \$)
210-6040	Adjustable - Caged Style	11.6 lbs.	75	12.14
210-8750	Monster - Caged Style (5/16" - 3/8" - 7/16" - 1/2" Orifice)	13 lbs.	50	12.14
210-9790	Whirlpool - Caged Style (3/4" Orifice)	12 lbs.	50	12.14




Metric
210-5937




Poly Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
210-5830	1" S Water x 1" S Air - No Top Plug	40	12.14
210-5860	Tee Body - 1 1/2" S Water x 1" S Air - with Top Plug	30	12.14
210-5870	Ell Body - 3/4" SB Water x 3/8" RB Air	60	12.14
210-5910	Ell Body - 3/4" S Water x 3/8" RB Air	60	12.14
210-5950	Straight Body - 1 1/2" S Water x 1/2" / 1" Spigot Air	60	12.14
210-5937	NEW Metric Jet Body - 50mm Water x 20mm Air		12.14
210-9500	32mm Water x 32mm Air	30	12.14

All Poly Jet body assemblies include a body and wall fitting.



711-1730



711-1750



916-1250



218-1770A

Poly Jet Accessories


Part No.	Description	Case Quantity	List (US \$)
711-1730	Grommet Gasket	1400	0.58
711-1750	Standard Gasket (Thin)	500	0.58
711-4750	3/16" Gasket (Thick)	500	0.85
916-1250	Escutcheon - Stainless Steel <i>(Standard Poly Jets only)</i>		5.23
218-1770A	Wrench/Test Plug with O-Ring Assembly	150	6.07
805-0132	Wrench O-Ring	25	0.63




Thread-in Jets




Adj. Cluster Storm




Mini-Storm



Poly Storm



Power Storm





Adjustable Cluster Storm Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-1570G	Body Assembly - ¾" S x 3/8" RB	100	7.24
228-1550G	Body Assembly - ¾" RB x 3/8" RB	100	7.24
228-1560G	Body Assembly - ¾" SB x 3/8" - SB	100	7.24
228-1720G	Body Assembly - ¾" RB x No Air	100	7.24

Mini-Storm Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-0300	Body Assembly - ¾" RB x 3/8" RB	100	7.63
228-0330	Body Assembly - ¾" SB x 3/8" - SB	100	7.63
228-0340	Body Assembly - ¾" SB x 3/8" RB - No Air	100	7.63

Poly Storm Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-0410	Body Assembly - ¾" S x 3/8" SB	70	8.64
228-0400	Body Assembly - ¾" RB x 3/8" RB	70	8.64
228-0430	Body Assembly - ¾" SB x 3/8" SB	70	8.64

Power Storm Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-0020	Body Assembly - ¾" S / 1" SPG x 3/8" SB	25	9.43
228-0530	Same Side Body Assembly - ¾" S x 3/8" SB	25	9.43
228-0040	Body Assembly - ¾" RB x 3/8" RB	25	9.43
228-0010	Body Assembly - ¾" SB x 3/8" SB	25	9.43

Note: All part numbers are for the new thread-in style

- To order snap-in bodies; change the part number prefix to 212-xxxx
- To order Glo style bodies: change the last number to 8. ie: 228-2008

Note: Jet Bodies include flat gaskets. Grommet gaskets available upon request. CPVC bodies available upon request.

Note: Products shown may be covered under patents US8458825, CA2644557.



Spa Jets / Storm Jets - Eclipse

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/8" Diameter

Case Qty: 200 Plastic-/box 200 Stainless-/box



	Directional	List Price
Plastic	239-0100	4.06
Stainless	239-0100S	10.96



	Rifled	List Price
	239-0110	4.06
	239-0110S	10.96



	Multi-Massage	List Price
	239-0120	4.06
	239-0120S	10.96



	Twin Roto	List Price
	239-0130	5.51
	239-0130S	12.05

Mini – 3-1/16" Diameter

Case Qty: 180 Plastic-/box 180 Stainless-/box



	Directional	List Price
Plastic	239-0300	10.15
Stainless	239-0300S	19.84



	Rifled	List Price
	239-0310	10.15
	239-0310S	19.84




	Multi-Massage	List Price
	239-0320	10.15
	239-0320S	19.84



	Roto	List Price
	239-0330	13.61
	239-0330S	23.31



	Twin Roto	List Price
Plastic	239-0340	13.61
Stainless	239-0340S	23.31



	Pulse Massage	List Price
	239-0350	13.61
	239-0350S	23.31



	Twister	List Price
	239-0360	13.61
	239-0360S	23.31

LG Poly – 4" Diameter

Case Qty: 80 Plastic /box 70 Stainless /box



	Directional	List Price
Plastic	239-0500	12.39
Stainless	239-0500S	28.15



	Rifled	List Price
	239-0510	12.39
	239-0510S	28.15



	Multi-Massage	List Price
	239-0520	12.39
	239-0520S	28.15



	Roto	List Price
	239-0530	16.82
	239-0530S	31.61

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	239-0540	16.82
Stainless	239-0540S	31.61



	Pulse Massage	List Price
	239-0550	16.82
	239-0550S	31.61



	Twister	List Price
	239-0560	16.82
	239-0560S	31.61

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8



Thread-in Jet Patent # US8458825 & CA2644557

Power – 5" Diameter


Case Qty: 45



	Directional	List Price
Plastic	239-7770	16.82
Stainless	239-7770S	33.31



	Rifled	List Price
Plastic	239-0620	16.82
Stainless	239-0620S	33.31



	Multi-Massage	List Price
Plastic	239-0630	16.82
Stainless	239-0630S	33.31



	Roto	List Price
Plastic	239-0640	22.02
Stainless	239-0640S	39.57

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	239-0650	22.02
Stainless	239-0650S	39.57



	Pulse Massage	List Price
Plastic	239-0660	22.02
Stainless	239-0660S	39.57




	Twister	List Price
Plastic	239-0670	22.02
Stainless	239-0670S	39.57

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8



Twirl
Steady Stream / Stationary Eyeball



Multi Massage
Multi-Shower



Roto
Adjustable Rotating Stream



Rifled
Enhanced Steady Stream



Twin Roto
Rotating Dual Stream




Twister
Adjustable Rotating Stream



Pulse Massage
Pulsating Stream



Shower
Pressure Ball





Spa Jets / Storm Jets - Reverse Eclipse

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/8" Diameter

Case Qty: 200 Plastic-/box 200 Stainless-/box



Directional List Price

Plastic / NA 239-1700S 10.96
Stainless 239-1700S 10.96



Rifled List Price

239-1710S 10.96



Multi-massage List Price

239-1720S 10.96



Twin Roto List Price

239-1730S 12.41

LG Cluster – 3-5/16" Diameter

Case Qty: 180 Plastic-/box 180 Stainless-/box



Directional List Price

Plastic / NA 239-1800S 17.69
Stainless 239-1800S 17.69



Rifled List Price

239-1810S 17.69



Multi-Massage List Price

239-1820S 17.69




Twin Roto List Price

239-1830S 21.22


Mini – 3-1/16" Diameter

Case Qty: 180 Plastic-/box 180 Stainless-/box



Directional List Price

Plastic / NA 239-3100S 19.84
Stainless 239-3100S 19.84



Rifled List Price

239-3110S 19.84



Multi-Massage List Price

239-3120S 19.84



Roto List Price

239-3130S 23.31



Twin Roto List Price

Plastic / NA 239-3140S 23.31
Stainless 239-3140S 23.31



Pulse Massage List Price

239-3150S 23.31




Twister List Price

239-3160S 23.31

LG Poly – 4" Diameter (continued next page)

Case Qty: 80 Plastic-/box 70 Stainless-/box



Directional List Price

Plastic / NA 239-3300S 28.15
Stainless 239-3300S 28.15



Rifled List Price

239-3310S 28.15



Multi-Massage List Price

239-3320S 28.15



Roto List Price

239-3330S 31.61



Thread-in Jet Patent # US8458825 & CA2644557


LG Poly – 4" Diameter *(continued from previous page)*

Case Qty: 45 Plastic /box 40 Stainless /box



Twin Roto List Price

Plastic / NA 239-3340S 31.61



Patent # CA 5,920,025

Pulse Massage List Price

239-3350S 31.61



Twister List Price

239-3360S 31.61

Power – 5" Diameter

Case Qty: 45 Plastic /box 40 Stainless /box



Directional List Price

Plastic / NA 239-7080S 33.31



Rifled List Price

239-1930S 33.31



Multi-Massage List Price

239-1940S 33.31



Roto List Price

239-1950S 39.57



Twin Roto List Price

Plastic / NA 239-1910S 39.57



Pulse Massage List Price

239-1960S 39.57



Twister List Price

239-1970S 39.57



Accupressure List Price

239-1980S 39.57

Patent # CA 5,920,025

Spa Jets



Whirlpool
Directional

Power
Rifled

LG Cluster
Multi-Massage

Cluster
Twin Roto



Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-3/8" Diameter

Case Qty: Plastic-250/box Stainless-200/box



Directional List Price

Plastic / NA

Stainless 239-1500S

10.96



Rifled List Price

239-1520S

10.96



Multi-Massage List Price

239-1530S

10.96




Twin Roto List Price

239-1510S

12.41

Mini – 3-1/4" Diameter

Case Qty: Plastic 120/box Stainless 100/box



Directional List Price

Plastic / NA

Stainless 239-2300S

19.84



Rifled List Price

239-2350S

19.84



Multi-Massage List Price

239-2330S

19.84



Roto List Price

239-2310S

23.31



Twin Roto List Price

Plastic / NA

Stainless 239-2320S

23.31



Pulse Massage List Price

239-2340S

23.31



Twister List Price

239-2360S

23.31

Poly – 3-3/4" Diameter

Case Qty: Plastic 120/box Stainless 100/box



Directional List Price

Plastic / NA

Stainless 239-8300S

28.15



Rifled List Price

239-8350S

28.15



Multi-Massage List Price

239-8330S

28.15



Roto List Price

239-8310S

31.61

Patent # CA 5,920,025



Twin Roto List Price

Plastic / NA

Stainless 239-8320S

31.61



Pulse Massage List Price

239-8340S

31.61



Twister List Price

239-8360S


31.61



Thread-in Jet Patent # US8458825 & CA2644557


LG Poly – 4-3/8" Diameter

Case Qty: Plastic 80/box Stainless 70/box



Directional List Price

Plastic / NA 239-8200S 30.45




Rifled List Price

239-8230S 30.45



Multi-Massage List Price

239-8240S 30.45



Roto List Price

239-8210S 33.95

Patent # CA 5,920,025




Twin Roto List Price

Plastic / NA 239-8220S 33.95



Pulse Massage List Price

239-8250S 33.95



Twister List Price

239-8260S 33.95

Power – 5-1/4" Diameter

Case Qty: Plastic 45/box Stainless 40/box



Directional List Price

Plastic / NA 239-7710S 33.31



Rifled List Price

239-6150S 33.31



Multi-Massage List Price

239-6140S 33.31



Roto List Price

239-6110S 39.57

Patent # CA 5,920,025



Twin Roto List Price

Plastic / NA 239-6120S 39.57



Pulse Massage List Price

239-6130S 39.57



Twister List Price

239-6160S 39.57



Accupressure List Price

229-6740S 39.57





Twirl

Steady Stream / Stationary Eyeball

Multi Massage

Multi-Shower



Roto

Adjustable Rotating Stream

Rifled

Enhanced Steady Stream



Twin Roto

Rotating Dual Stream

Twister

Adjustable Rotating Stream




Pulse Massage

Pulsating Stream

Shower

Pressure Ball





Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: 200/box



	Directional	List Price
Plastic	229-1670	4.06
Stainless	229-1670S	10.44



	Rifled	List Price
	229-0140	4.06
	229-0140S	10.44



	Multi-Massage	List Price
	229-1790	4.06
	229-1790S	10.44



	Twin Roto	List Price
	229-1780	5.51
	229-1780S	11.90

LG Cluster – 3-5/16" Diameter

Case Qty: 100/box



	Directional	List Price
Plastic	229-0210	4.91
Stainless	229-0210S	16.23



	Rifled	List Price
	229-0220	4.91
	229-0220S	16.23



	Multi-Massage	List Price
	229-0240	4.91
	229-0240S	16.23



	Twin Roto	List Price
	229-0230	6.37
	229-0230S	17.69

Mini – 3-5/16" Diameter

Case Qty: 180/box



	Directional	List Price
Plastic	229-8440	10.15
Stainless	229-8440S	19.14



	Rifled	List Price
	229-0190	10.15
	229-0190S	19.14



	Multi-Massage	List Price
	229-9040	10.15
	229-9040S	19.14



	Roto	List Price
	229-0320	13.61
	229-0320S	22.61



	Twin Roto	List Price
Plastic	229-8450	13.61
Stainless	229-8450S	22.61



	Pulse Massage	List Price
	229-0330	13.61
	229-0330S	24.05



	Twister	List Price
	229-9530	13.61
	229-9530S	22.61

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

Poly – 3-5/8" Diameter (continued next page)

Case Qty: 100/box



	Directional	List Price
Plastic	229-4020	13.35
Stainless	229-4020S	27.25



	Rifled	List Price
	229-1940	13.35
	229-1940S	27.25



	Multi-Massage	List Price
	229-4090	13.35
	229-4090S	27.25



	Roto	List Price
	229-4030	16.82
	229-4030S	30.72



Thread-in Jet Patent # US8458825 & CA2644557

Poly – 3-5/8" Diameter *(continued from previous page)*

Case Qty: 100/box



Twin Roto
Plastic 229-4040
Stainless 229-4040S

List Price
16.82
30.72



Patent # CA 5,920,025

Pulse Massage
Plastic 229-4050
Stainless 229-4050S

List Price
16.82
33.04



Twister
Plastic 229-9630
Stainless 229-9630S

List Price
16.82
30.72

LG Poly – 4 3/8" Diameter

Case Qty: Plastic 80/box Stainless 70/box



Directional
Plastic 229-0440
Stainless 229-0440S

List Price
13.35
29.57



Rifled
Plastic 229-0610
Stainless 229-0610S

List Price
13.35
29.57



Multi-Massage
Plastic 229-0480
Stainless 229-0480S

List Price
13.35
29.57



Roto
Plastic 229-0450
Stainless 229-0450S

List Price
16.82
33.04

Patent # CA 5,920,025



Twin Roto
Plastic 229-0460
Stainless 229-0460S

List Price
16.82
33.04



Pulse Massage
Plastic 229-0620
Stainless 229-0620S

List Price
16.82
35.36



Twister
Plastic 229-0410
Stainless 229-0410S

List Price
16.82
33.04

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

Power – 5 1/4" Diameter

Case Qty: 45/box



Directional
Plastic 239-7740
Stainless 239-7740S

List Price
16.82
31.89



Rifled
Plastic 229-1990
Stainless 229-1990S

List Price
16.82
31.89



Multi-Massage
Plastic 229-6170
Stainless 229-6170S

List Price
16.82
31.89



Roto
Plastic 229-6380
Stainless 229-6380S

List Price
22.02
37.11

Patent # CA 5,920,025



Twin Roto
Plastic 229-6360
Stainless 229-6360S

List Price
22.02
37.11



Pulse Massage
Plastic 229-6350
Stainless 229-6350S

List Price
22.02
37.11



Twister
Plastic 229-7680
Stainless 229-7680S

List Price
22.02
37.11



Acupressure
Plastic 229-6720
Stainless 229-6720S

List Price
22.02
37.11



Spa Jets / Storm Jets - Reverse Swirl

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: 200/box



Directional List Price

Plastic / NA

Stainless 229-2700S

10.96



Rifled List Price

229-2710S

10.96



Multi-Massage List Price

229-2730S

10.96



Twin Roto List Price

229-2720S

12.41

LG Cluster – 3-5/16" Diameter

Case Qty: 100/box



Directional List Price

Plastic / NA

Stainless 229-2740S

17.69



Rifled List Price

229-2750S

17.69



Multi-Massage List Price

229-2770S

17.69



Twin Roto List Price

229-2760S

21.21

Mini – 3-5/16" Diameter

Case Qty: 150/box



Directional List Price

Plastic / NA

Stainless 229-2400S

19.84



Rifled List Price

229-2410S

19.84



Multi-Massage List Price

229-2480S

19.84



Roto List Price

229-2420S

23.31



Twin Roto List Price

Plastic / NA

Stainless 229-2430S

23.31



Pulse Massage List Price

229-2440S

23.31



Twister List Price

229-2940S

23.31

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

Poly – 3-5/8in" Diameter (continued next page)

Case Qty: 100/box



Directional List Price

Plastic / NA

Stainless 229-2800S

28.15



Rifled List Price

229-2810S

28.15



Multi-Massage List Price

229-2880S

28.15



Roto List Price

229-2820S

31.61



Thread-in Jet Patent # US8458825 & CA2644557

Poly – 3-5/8" Diameter *(continued from previous page)*

Case Qty: 100/box



Twin Roto List Price

Plastic / NA

Stainless 229-2830S

31.61



Patent # CA 5,920,025

Pulse Massage List Price

229-2840S

31.61



Twister List Price

229-2950S

31.61

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

LG Poly – 4-3/8" Diameter

Case Qty: 70/box



Directional List Price

Plastic / NA

Stainless 229-2500S

30.45



Rifled List Price

229-2510S


30.45



Multi-Massage List Price

229-2580S


30.45



Roto List Price

229-2520S

33.95




Twin Roto List Price

Plastic / NA

Stainless 229-2530S

33.95



Patent # CA 5,920,025

Pulse Massage List Price

229-2540S

33.95



Twister List Price

229-2960S

33.95

Power – 5-1/4" Diameter

Case Qty: 45/box



Directional List Price

Plastic / NA

Stainless 239-7750S

33.31



Rifled List Price

229-2620S

33.31



Multi-Massage List Price

229-2690S

33.31



Roto List Price

229-2630S

39.57



Twin Roto List Price

Plastic / NA

Stainless 229-2640S

39.57



Patent # CA 5,920,025

Pulse Massage List Price

229-2650S

39.57



Twister List Price

229-2790S

39.57



Accupressure List Price

229-2780S

39.57

Case Qty: 45/box



Spa Jets / Storm Jets - 6 Spoke

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: 200/box



Directional
229-1470
229-1470S

List Price
4.06
10.44



Rifled
229-0130
229-0130S

List Price
4.06
10.44



Multi-Massage
229-1770
229-1770S

List Price
4.06
10.44



Twin Roto
229-1440
229-1440S

List Price
5.51
11.90

Mini – 3-5/16" Diameter

Case Qty: 180/box



Directional
229-8630
229-8630S

List Price
10.15
19.14



Rifled
229-0180
229-0180S

List Price
10.15
19.14



Multi-Massage
229-8700
229-8700S

List Price
10.15
19.14



Roto
229-8640
229-8640S

List Price
13.61
22.61



Twin Roto
229-8650
229-8650S

List Price
13.61
22.61



Pulse Massage
229-8660
229-8660S

List Price
13.61
24.05



Twister
229-9520
229-9520S

List Price
13.61
22.61

Poly – 3-5/8" Diameter

Case Qty: 100/box



Directional
229-8590
229-8590S

List Price
13.35
27.25



Rifled
229-1930
229-1930S

List Price
13.35
27.25



Multi-Massage
229-3240
229-3240S

List Price
13.35
27.25



Roto
229-8570
229-8570S

List Price
16.82
30.72



Twin Roto
229-8580
229-8580S

List Price
16.82
30.72



Pulse Massage
229-3200
229-3200S

List Price
16.82
33.04



Twister
229-9620
229-9620S

List Price
16.82
30.72

Patent # CA 5,920,025




Thread-in Jet Patent # US8458825 & CA2644557

LG Poly – 4-3/8" Diameter

Case Qty: 45/box



Directional
239-5000
239-5000S
List Price
13.35
29.57



Rifled
239-5050
239-5050S
List Price
13.35
29.57



Multi-Massage
239-5040
239-5040S
List Price
13.35
29.57



Roto
239-5010
239-5010S
List Price
16.82
33.04



Twin Roto
239-5020
239-5020S
List Price
16.82
33.04



Pulse Massage
239-5030
239-5030S
List Price
16.82
33.04



Twister
239-5060
239-5060S
List Price
16.82
33.04

Patent # CA 5,920,025

Power – 5-1/4" Diameter


Case Qty: 45/box




Directional
229-7720
229-7720S
List Price
16.82
31.89




Rifled
229-1980
229-1980S
List Price
16.82
31.89



Multi-Massage
229-7250
229-7250S
List Price
16.82
31.89



Roto
229-7550
229-7550S
List Price
22.02
37.11



Twin Roto
229-7560
229-7560S
List Price
22.02
37.11




Pulse Massage
229-7590
229-7590S
List Price
22.02
41.74




Twister
229-7700
229-7700S
List Price
22.02
37.11

Patent # CA 5,920,025

Twirl
Steady Stream /
Stationary
Eyeball




**Multi
Massage**
Multi-
Shower



Roto
Adjustable
Rotating
Stream



Rifled
Enhanced
Steady
Stream



**Twin
Roto**
Rotating
Dual
Stream




Twister
Adjustable
Rotating
Stream



**Pulse
Massage**
Pulsating
Stream



Shower
Pressure
Ball





Spa Jets / Storm Jets - Reverse 6 Spoke (Nova)

Patent # US D574,964 S

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: 200/box



Directional List Price

Plastic / NA 229-9000S 10.96
Stainless 229-9000S 10.96



Rifled List Price

229-9070S 10.96



Multi-Massage List Price

229-9060S 10.96



Twin Roto List Price

229-9010S 12.41

Mini – 3-5/16" Diameter

Case Qty: 150/box



Directional List Price

Plastic / NA 229-9100S 19.84
Stainless 229-9100S 19.84



Rifled List Price

229-9180S 19.84



Multi-Massage List Price

229-9140S 19.84



Roto List Price

229-9150S 23.31



Twin Roto List Price

Plastic / NA 229-9130S 23.31
Stainless 229-9130S 23.31



Pulse Massage List Price

229-9160S 23.31



Twister List Price

229-9190S 23.31

Poly – 3-5/8" Diameter

Case Qty: 70/box



Directional List Price

Plastic / NA 229-9200S 28.15
Stainless 229-9200S 28.15



Rifled List Price

229-9280S 28.15



Multi-Massage List Price

229-9260S 28.15



Roto List Price

229-9210S 31.61



Twin Roto List Price

Plastic / NA 229-9220S 31.61
Stainless 229-9220S 31.61



Pulse Massage List Price

229-9230S 31.61



Twister List Price

229-9290S 31.61

Patent # CA 5,920,025

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8



Thread-in Jet Patent # US8458825 & CA2644557

LG Poly – 4-3/8" Diameter

Case Qty: 70/box



Directional

List Price

Plastic / NA

Stainless 229-9300S

30.45



Rifled

List Price

229-9370S

30.45



Multi-Massage

List Price

229-9350S

30.45



Roto

List Price

229-9310S

33.95




Twin Roto

List Price

Plastic / NA

Stainless 229-9330S

33.95



Pulse Massage

List Price

229-9640S

33.95



Twister

List Price

229-9380S

33.95

Patent # CA 5,920,025

For GLO style internals on all
Storm Jets use the prefix 230
and the last number as 8.
230-XXX8

Power – 5-1/4" Diameter

Case Qty: 45/box



Directional

List Price

Plastic / NA

Stainless 239-7730S

33.31



Rifled

List Price

229-9480S

33.31



Multi-Massage

List Price

229-9400S

33.31



Roto

List Price

229-9420S

39.57



Twin Roto

List Price

Plastic / NA

Stainless 229-9430S

39.57



Pulse Massage

List Price

229-9460S

39.57



Twister

List Price

229-9450S

39.57






Acupressure

List Price

229-9490S

39.57

Patent # CA 5,920,025

TwirlSteady Stream /
Stationary
Eyeball**Multi
Massage**Multi-
Shower**Roto**Adjustable
Rotating
Stream**Rifled**Enhanced
Steady
Stream**Twin
Roto**Rotating
Dual
StreamAdjustable
Rotating
Stream**Pulse
Massage**Pulsating
Stream**Shower
Pressure
Ball**



Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/8" Diameter

Case Qty: 200/box



	Directional	List Price
Plastic	229-1460	4.06
Stainless	229-1460S	10.44



	Rifled	List Price
	229-0120	4.06
	229-0120S	10.44



	Multi-massage	List Price
	229-9730	4.06
	229-9730S	10.44



	Twin Roto	List Price
	229-1430	5.51
	229-1430S	11.90

Mini – 3-5/16" Diameter

Case Qty: 180/box



	Directional	List Price
Plastic	229-8790	10.15
Stainless	229-8790S	19.14



	Rifled	List Price
	229-0170	10.15
	229-0170S	19.14



	Multi-Massage	List Price
	229-9020	10.15
	229-9020S	19.14



	Roto	List Price
	229-8850	13.61
	229-8850S	22.61



	Twin Roto	List Price
Plastic	229-8860	13.61
Stainless	229-8860S	22.61



	Pulse Massage	List Price
	229-8870	13.61
	229-8870S	24.05



	Twister	List Price
	229-9510	13.61
	229-9510S	22.61

Poly – 3-5/8" Diameter

Case Qty: 100/box



	Directional	List Price
Plastic	229-3250	13.35
Stainless	229-3250S	27.25



	Rifled	List Price
	229-1920	13.35
	229-1920S	27.25



	Multi-Massage	List Price
	229-3620	13.35
	229-3620S	27.25



	Roto	List Price
	229-3260	16.82
	229-3260S	30.72



	Twin Roto	List Price
Plastic	229-3270	16.82
Stainless	229-3270S	30.72



	Pulse Massage	List Price
	229-3280	16.82
	229-3280S	30.72



	Twister	List Price
	229-9610	16.82
	229-9610S	30.72

Patent # CA 51025

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8



Thread-in Jet Patent # US8458825 & CA2644557

Power – 5-1/4" Diameter

Case Qty: 45/box



Directional
239-7760
239-7760S

List Price
16.82
31.89



Rifled
229-1970
229-1970S

List Price
16.82
31.89



Multi-Massage
229-7090
229-7090S

List Price
16.82
31.89



Roto
229-7140
229-7140S

List Price
22.02
37.11

Patent # CA 5,920,025



Twin Roto
229-7150
229-7150S

List Price
22.02
37.11



Pulse Massage
229-7160
229-7160S

List Price
22.02
37.11



Twister
229-7690
229-7690S

List Price
22.02
37.11




Acupressure
229-6710
229-6710S

List Price
22.02
37.11

Plastic
Stainless

For GLO style internals on all
Storm Jets use the prefix 230
and the last number as 8.
230-XXX8





Spa Jets / Storm Jets - Smooth

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: Plastic 300/box Stainless 200/box



Directional
List Price
Plastic 239-4300 4.06
Stainless 239-4300S 10.44



Rifled
List Price
Plastic 239-4310 4.06
Stainless 239-4310S 10.44



Multi-massage
List Price
Plastic 239-4320 4.06
Stainless 239-4320S 10.44



Twin Roto
List Price
Plastic 239-4330 5.51
Stainless 239-4330S 11.90

Mini – 3" Diameter

Case Qty: Plastic 200/box Stainless 180/box



Directional
List Price
Plastic 229-7900 10.15
Stainless 229-7920S 19.14



Rifled
List Price
Plastic 229-0160 10.15
Stainless 229-0160S 19.14



Multi-Massage
List Price
Plastic 239-4340 10.15
Stainless 239-4340S 19.14



Roto
List Price
Plastic 239-4350 13.61
Stainless 239-4350S 22.61



Twin Roto
List Price
Plastic 229-7940 13.61
Stainless 229-7950S 22.61



Pulse Massage
List Price
Plastic 229-7810 15.07
Stainless 229-7800S 24.05



Twister
List Price
Plastic 239-7980 13.61
Stainless 239-7980S 22.61

LG Mini – 3-5/16" Diameter

Case Qty: 120/box



Directional
List Price
Plastic 229-0010 10.72
Stainless 229-0090S 19.71



Rifled
List Price
Plastic 229-0150 10.72
Stainless 229-0150S 19.71



Multi-Massage
List Price
Plastic 229-0080 10.72
Stainless 229-0080S 19.71



Roto
List Price
Plastic 229-0310 14.20
Stainless 229-0310S 23.20



Twin Roto
List Price
Plastic 229-7840 14.20
Stainless 229-7840S 23.20



Pulse Massage
List Price
Plastic 229-0040 14.20
Stainless 229-0040S 24.64



Twister
List Price
Plastic 229-2100 14.20
Stainless 229-2100S 23.20

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8



Thread-in Jet Patent # US8458825 & CA2644557

Poly – 3-3/8" Diameter

Case Qty: Plastic 130/box Stainless 100/box



Directional
229-8040
229-8050S

List Price
13.35
27.25



Rifled
229-1900
229-1900S

List Price
13.35
27.25



Multi-Massage
229-8280
229-8270S

List Price
13.35
27.25



Roto
229-8000
229-8010S

List Price
16.82
30.72



Twin Roto
229-8130
229-8120S

List Price
16.82
30.72



Pulse Massage
229-8020
229-8030S

List Price
19.14
33.04



Twister
229-8230
229-8230S

List Price
16.82
30.72

Patent # CA 5,920,025

LG Poly – 4" Diameter

Case Qty: 60/box



Directional
229-8160
229-8160S

List Price
14.54
29.57



Rifled
229-9790
229-9790S

List Price
14.54
29.57



Multi-Massage
229-8290
229-8290S

List Price
14.54
29.57



Roto
229-8140
229-8140S

List Price
18.01
33.04



Twin Roto
229-8170
229-8170S

List Price
18.01
33.04



Pulse Massage
229-8150
229-8150S

List Price
18.01
35.36



Twister
229-9600
229-9600S

List Price
18.01
33.04

Patent # CA 5,920,025

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

Power – 5" Diameter (continued next page)

Case Qty: Plastic 50/box Stainless 50/box



Directional
239-7090
239-7090S

List Price
16.82
31.89



Roto
229-6630
229-7600S

List Price
22.02
37.10



Twin Roto
229-6610
229-7610S

List Price
22.02
37.10



Pulse Massage
229-6650
229-7740S

List Price
26.66
41.74

Patent # CA 5,920,025



Spa Jets / Storm Jets - Smooth

Thread-in Jet Patent # US8458825 & CA2644557

LG Power – 5-1/2" Diameter *(continued from previous page)*

Case Qty: 35/box



Directional List Price

Plastic / NA
Stainless

229-0900S

33.04



Rifled List Price

229-6850S

33.04



Multi-Massage List Price

229-7330S

33.04



Roto List Price

229-7310S

38.25



Twin Roto List Price

Plastic / NA
Stainless

229-7320S

38.25



Pulse Massage List Price

229-7360S

42.89



Twister List Price

239-0800S

38.25

XL Power – 6-1/2" Diameter

Case Qty: 25/box



Directional List Price

Plastic / NA
Stainless

239-0910S

35.36



Rifled List Price

229-6840S

35.36



Multi-Massage List Price

229-7450S

35.36



Roto List Price

229-7380S

40.57



Twin Roto List Price

Plastic / NA
Stainless

229-7390S

40.57



Pulse Massage List Price

229-7480S

45.22




Twister List Price

239-0830S

40.57

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

Twirl
Steady Stream /
Stationary
Eyeball



**Multi
Massage**
Multi-
Shower




Roto
Adjustable
Rotating
Stream



Rifled
Enhanced
Steady
Stream



**Twin
Roto**
Rotating
Dual
Stream




Twister
Adjustable
Rotating
Stream



**Pulse
Massage**
Pulsating
Stream



Shower
Pressure
Ball





Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: Plastic-300/box Stainless-200/box



	Directional	List Price
Plastic	229-1540	4.06
Stainless	229-5310S	10.44



	Rifled	List Price
	239-4370	4.06
	239-4370S	10.44



	Multi-Massage	List Price
	229-9720	4.06
	229-9720S	10.44



	Twin Roto	List Price
	229-1590	5.51
	229-5320S	11.90

Mini – 3" Diameter

Case Qty: Plastic-250/box Stainless-180/box



	Directional	List Price
Plastic	229-7920	10.15
Stainless	229-5410S	19.14



	Multi-Massage	List Price
	229-5480	10.15
	229-5480S	19.14



	Twin Roto	List Price
	229-7950	13.61
	229-5430S	22.61



	Roto	List Price
	229-0020	13.61
	229-5420S	22.61



	Pulse Massage	List Price
Plastic	229-0030	15.07
Stainless	229-5440S	24.05

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

LG Poly – 4" Diameter

Case Qty: Plastic 100/box Stainless 45/box



	Directional	List Price
Plastic	229-8160	13.35
Stainless	229-5510S	29.57



	Multi-Massage	List Price
	229-8290	13.35
	229-5580S	29.57



	Twin Roto	List Price
	229-8170	16.82
	229-5530S	33.04



	Roto	List Price
	229-8140	16.82
	229-5520S	33.04

Power – 5" Diameter

Case Qty: Plastic 50/box Stainless 50/box



	Directional	List Price
Plastic	229-7700	16.82
Stainless	229-7700S	33.04



	Pulse Massage	List Price
	229-7740	26.66
	229-5650S	41.74



	Twin Roto	List Price
	229-7610	22.45
	229-5640S	37.10



	Roto	List Price
	229-7600	22.45
	229-5630S	37.10

Same p/n
as 6 Spoke
Power Twister



Storm Jet Flat Kraton Gaskets

Part No.	Description	List (US \$)
711-6910	Mini-Storm Flat Gasket	0.58
711-4410	Poly-Storm Flat Gasket	0.58
711-6608	Power-Storm Flat Gasket	0.77



711-6910

Storm Jet Flat EPDM Gaskets

Part No.	Description	List (US \$)
806-0010	Cluster Storm EPDM Flat Gasket	0.77
806-0011	Mini Storm EPDM Flat Gasket	0.93
806-0012	Poly Storm EPDM Flat Gasket	1.26
806-0013	Power Storm EPDM Flat Gasket	2.12



806-0011

Storm Jet Grommet Kraton Gaskets

Part No.	Description	List (US \$)
711-5140L	Cluster-Storm Grommet Gasket	0.56
711-6900	Mini-Storm Grommet Gasket	0.58
711-4400	Poly-Storm Grommet Gasket	0.58
711-6500	Power-Storm Grommet Gasket	0.77



711-6900

Storm Jet Grommet EPDM 55 Shore Gaskets

Part No.	Description	List (US \$)
806-0018	Cluster Storm 55 Shore EPDM Grommet Gasket	0.88
806-0021	Mini Storm 55 Shore EPDM Grommet Gasket	1.13
806-0022	Poly Storm 55 Shore EPDM Grommet Gasket	1.41
806-0023	Power Storm 55 Shore EPDM Grommet Gasket	2.58



806-0021

Storm Jet Grommet Silicone 45 Shore Gaskets

Part No.	Description	List (US \$)
806-0060	Cluster Storm Silicone 45 Shore Grommet Gasket	0.88
806-0061	Mini Storm Silicone 45 Shore Grommet Gasket	1.13
806-0062	Poly Storm Silicone 45 Shore Grommet Gasket	1.41
806-0063	Power Storm Silicone 45 Shore Grommet Gasket	2.58



806-0061

Double Seal Gaskets for Storm Jets

Part No.	Description	List (US \$)
711-6920	Mini-Storm Double Seal Gasket	1.60
711-4430	Poly Storm Double Seal Gasket	1.82
711-6620	Power Storm Double Seal Gasket	2.22



711-6620

Pat. Pend.




Storm Jet Self-Alignment Rings

Part No.	Description	Case Quantity	List (US \$)
218-5150	Cluster-Storm Self-Alignment Ring	500	0.72
718-6960	Mini-Storm Self-Alignment Ring	700	0.91
218-4010	Poly-Storm Self-Alignment Ring	500	0.93
218-6680	Power-Storm Self-Alignment Ring - Regular	160	2.61
218-6680T	Power-Storm Self-Alignment Ring - Thin	160	2.61

Storm Jet Nozzle Reducer

Part No.	Description	Case Quantity	List (US \$)
217-0047	Mini-Storm Jet Nozzle Reducer - 1/4" Orifice	12	0.37
217-0057	Poly-Storm Jet Nozzle Reducer - 1/4" Orifice	12	0.37



Storm Jet Glo Components

Part No.	Description	Case Quantity	List (US \$)
218-9118	Glo Tube, Smooth Barb	--	0.27
218-9128	Glo Tube, 3/8"-16 (Sloan Style)	--	0.27
218-9138	Glo Tube, 1/8 MPT (J-Style)	--	0.27
218-9148	Glo Clip, Smooth Barb (Mini / Poly only)	--	0.52
218-9158	Glo Clip 3/8" - 16 MPT (Sloan Style) (Mini / Poly only)	--	0.52
218-9168	Glo Clip 1/8" MPT (J-Style) (Mini / Poly only)	--	0.52
218-9428	Glo Saddle, Smooth Barb	--	0.37
218-9438	Glo Saddle, (Sloan Style)	--	0.37
218-9448	Glo Saddle, (J Style)	--	0.37



Storm Hand-Held Jet

Part No.	Description	Case Quantity	List (US \$)
229-3357	Poly-Storm Thread-In Hand-Held Jet - 5-Scallops	1	105.84
229-7757	Power-Storm Thread-In Hand-Held Jet - 5-Scallops	12	123.47



Spa Jets / Whirlpool Jets

5 Scallop



Whirlpool
Adjustable [229-5710S](#)
Non-Adj. [229-5800S](#)

List Price
44.44
39.27

6 Spoke



Whirlpool
Adjustable [229-2090S](#)
Non-Adj. [229-2000S](#)

List Price
44.44
39.27

Reverse 6 Spoke



Whirlpool
Adjustable [239-5080S](#)
Non-Adj. [239-5090S](#)

List Price
49.59
44.42

Eclipse



Whirlpool
Adjustable [239-1050S](#)
Non-Adj. [239-0160S](#)

List Price
49.59
44.42

Reverse Eclipse



Whirlpool
Adjustable [239-1740S](#)
Non-Adj. [239-1750S](#)

List Price
49.59
44.42

Luxe



Whirlpool
Adjustable [239-0020S](#)
Non-Adj. [239-0010S](#)

List Price
49.59
44.42

Swirl



Whirlpool
Adjustable [229-3020S](#)
Non-Adj. [229-3040S](#)

List Price
43.15
38.13

Reverse Swirl



Whirlpool
Adjustable [229-2900S](#)
Non-Adj. [229-2910S](#)

List Price
48.15
43.13

Revo



Whirlpool
Adjustable [229-3050S](#)
Non-Adj. [229-3060S](#)

List Price
43.15
38.13

Smooth



Whirlpool
Adjustable [229-2060S](#)
Non-Adj. [229-2030S](#)

List Price
43.11
38.13

Check p/n

Spa Jets




Continued next page.



Whirlpool Jets - Specifications

FEATURES:

- Adjustable flow control
- Large 1 1/2" socket intake
- Available in smooth face and 5-Scallop escutcheons
- Four water nozzle sizes to choose from: 1/2" - 5/8" - 3/4" and 1" (see flow chart)
- Self-alignment ring available for use without silicone (optional)
- Universal on/off control (on = counter clockwise / off = clockwise)
- Available as Glo Jets



Whirlpool Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-2000	Thread-In Body - with Flat Gasket - 1 1/2" S x 1/2" S	25	14.80
228-2000G	Thread-In Body - with Grommet Gasket - 1 1/2" S x 1/2" S	25	14.80
228-2010	Thread-In Body - with Flat Gasket - 1" S x 1/2" S	25	14.80
228-2010G	Thread-In Body - with Grommet Gasket - 1" S x 1/2" S	25	14.80
228-2130	Thread-In Same Side Body - with Flat Gasket - 1 1/2" S x 1/2" S	25	14.80
228-2130G	Thread-In Same Side Body - with Grommet Gasket - 1 1/2" S x 1/2" S	25	14.80

Note: For Glo Whirlpool Jet bodies, change the last number to 8. ie: 228-2008

Whirlpool Thread-In Jet Internals

Part No.	Description	Case Quantity	List (US \$)
229-2020	Thread-In Non-Adjustable - 5-Scallop	45	24.91
229-2030	Thread-In Non-Adjustable - Smooth	45	24.91
229-2030S	Thread-In Non-Adjustable - Stainless Steel	45	38.13
229-2050	Thread-In Adjustable - 5-Scallop	45	29.95
229-2060	Thread-In Adjustable - Smooth	45	29.95
229-2060S	Thread-In Adjustable - Stainless Steel	45	43.15

Note: For Glo Whirlpool Internals, change the part number prefix to 230-xxxx.

Whirlpool Accessories


Part No.	Description	Case Quantity	List (US \$)
223-0010	Air Check Valve Adapter - 3/8" SB x 1/2" Spigot	600	2.19






FEATURES:

- Extra large 7 ½" construction
- Available with adjustable flow control
- Easy through-wall installation
- ¾" nozzle = 75 GPM flow
- Two ball bearings for added jet life
- 1 ½" S x 1 ½" S plumbing




**210-7180S /
210-8290S**



**210-7170S /
210-8280S**



**235-7158S /
235-8168S**



**224-9541S /
224-9551S**



**210-7130S /
210-8270S**


Master Massage Jets

Part No.	Description	Style	Case Quantity	List (US \$)
210-8290S	Non-Adjustable Jet Assembly – 1 ½" S x 1 ½" S	6-Spoke - Stainless Steel	10	91.59
210-7180S	Adjustable Jet Assembly – 1 ½" S x 1 ½" S	6-Spoke - Stainless Steel	10	111.84
210-8280S	Non-Adjustable Jet Assembly – 1 ½" S x 1 ½" S	Revo - Stainless Steel	10	91.59
210-7170S	Adjustable Jet Assembly – 1 ½" S x 1 ½" S	Revo - Stainless Steel	10	111.84
210-8270S	Non-Adjustable Jet Assembly – 1 ½" S x 1 ½" S	Swirl - Stainless Steel	10	91.59
210-7130S	Adjustable Jet Assembly – 1 ½" S x 1 ½" S	Swirl - Stainless Steel	10	111.84
224-9540S	Non-Adjustable Jet Assembly – 1 ½" S x 1 ½" S	Nova - Stainless Steel	10	91.59
224-9550S	Adjustable Jet Assembly – 1 ½" S x 1 ½" S	Nova - Stainless Steel	10	111.84
235-8160	Non-Adjustable Jet Assembly – 1 ½" S x 1 ½" S	5-Scallop	10	52.61
235-7150	Adjustable Jet Assembly – 1 ½" S x 1 ½" S	5-Scallop	10	72.89
210-8160S	Non-Adjustable Jet Assembly – 1 ½" S x 1 ½" S	Smooth - Stainless Steel	10	87.11
210-7150S	Adjustable Jet Assembly – 1 ½" S x 1 ½" S	Smooth - Stainless Steel	10	107.46

Note: For Glo Massage Jet, Change the part number prefix to 235-xxxx.

FEATURES:


- Works as a valve to divert water to one or two locations
- Works as a high volume whirlpool jet
- Comes with a built in check valve
- Plumbing size is 1 1/2" S x 2" Spigot for all water ports and 3/4 RB air port




210-4390S



218-4360




210-4391



NEW HOLE SAW SIZE - 3.25"

Turbo Jet Performance



Turbo Jet

Part No.	Description	Case Quantity	List (US \$)
210-4390	1 1/2" S x 2" Spigot Water x 3/4" RB Air - 5 1/4" Flange Diameter	20	70.96
210-4390S	1 1/2" S x 2" Spigot Water x 3/4" RB Air - 5 1/4" Flange Diameter - Stainless Steel	20	83.71
218-4360	Turbo Jet Wrench	--	3.95



FEATURES:

- Extra wide 6 1/4" oval escutcheon
- Oval shaped eyeball
- More than 175GPM flow
- 2" Plumbing for high volume output
- Available as LED Glo Jet



SPECIFICATIONS:



.925" = 100 CPM

1.5" = 175 GPM

Hole saw size = 4 3/4"



210-7901 S



Swim Jets - Ovo Ell Style


Part No.	Jet Type	Style	Case Qty.	List (US \$)
210-7900	Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, .925" Orifice	Plastic	6	54.64
210-7900S	Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, .925" Orifice w/Metal	Stainless Steel	6	87.42
210-7908	Glo Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, .925" Orifice	Plastic	6	61.91
210-7908S	Glo Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, .925" Orifice w/ Metal	Stainless Steel	6	94.70
210-7910	Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, 1.5" Orifice	Plastic	6	54.64
210-7910S	Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, 1.5" Orifice with Metal	Stainless Steel	6	87.42
210-7918	Glo Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, 1.5" Orifice	Plastic	6	61.91
210-7918S	Glo Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, 1.5" Orifice with Metal	Stainless Steel	6	94.70



210-7430



210-7261S



210-3917

Old Faithful Jets

Part No.	Description	Case Quantity	List (US \$)
210-7430	Ell Body - 2" S Water x ½" S Air - 0.925" Orifice - 90 GPM - 5-Scallop	6	41.64
210-7440	Ell Body - 2" S Water x ½" S Air - 1 ½" Orifice - 175 GPM - 5-Scallop	6	41.64
210-7270S	Ell Body - 2" S Water x ½" S Air - 0.925" Orifice - 90 GPM - Stainless Steel	6	72.24
210-7260S	Ell Body - 2" S Water x ½" S Air - 1 ½" Orifice - 175 GPM - Stainless Steel	6	72.24
210-3910	Straight Body - 2" S Water x ½" S Air - 0.925" Orifice - 90 GPM - 5-Scallop	6	41.64
210-3920	Straight Body - 2" S Water x ½" S Air - 1 ½" Orifice - 175 GPM - 5-Scallop	6	41.64
210-3910S	Straight Body - 2" S Water x ½" S Air - 0.925" Orifice - 90 GPM - Stainless Steel	6	72.24
210-3920S	Straight Body - 2" S Water x ½" S Air - 1 ½" Orifice - 175 GPM - Stainless Steel	6	72.24
210-7300	½" S Air x 2" S Water - .925" Orifice - 90 GPM	6	41.64
210-7310	½" S Air x 2" S Water - 1 ½" Orifice - 175 GPM	6	41.64

See page 256 for swim spa configuration diagrams.

Old Faithful Jet Accessories

Part No.	Description	Case Quantity	List (US \$)
217-7300	1" Nozzle	1	5.61
217-7320	1 ½" Nozzle	1	5.61
711-7300	Gasket	1	4.75
218-1570A	Old Faithful Wrench w/ O-ring	6	17.51





FEATURES:

- 8" wide eyeball
- Eyeball turrets up / down 20%
- Vent Enhancement System
- XL 2 ½" S intake
- Up to 1000 GPM input at 13 PSI



210-5100S




River Jets			
Part No.	Description	Case Quantity	List (US \$)
210-5100	2 ½" S x 1" Spigot	1	365.65
210-5100S	2 ½" S x 1" Spigot - Stainless Steel	1	434.44
210-5100SL	LED River Jet Assy, 2 ½" S x 1" S - Metal	1	472.73

See page 246 for Swim Spa configuration diagrams.



FEATURES:

- Designed specifically for in-ground portable spa applications
- Accepts all Mini-Storm and Poly Storm series snap-in jet internals
- Allows for flex or rigid plumbing
- Resists plumbing deterioration in harsh soils
- Resists rodent damage to plumbing
- Made of NSF fitting grade PVC material




In-Ground Portable Spa Jet Body Assemblies			
Part No.	Description	Case Quantity	List (US \$)
212-0380	In-Ground Mini-Storm Jet Body Assembly - 3/4" S x 1/2" S / 3/4" Spigot		8.79
212-0390	In-Ground Poly Storm Jet Body Assembly - 3/4" S x 1/2" S / 3/4" Spigot		8.79



Top-Flo Air Injectors

Part No.	Description	Color	Case Quantity	List (US \$)
670-2300	3/8" SB Ell Body Assembly	White	100	7.08
670-2350	3/8" SB Ell Body Assembly	Stainless Steel	100	10.16
670-2310	1/2" S Ell Body Assembly	White	100	7.08
670-2360	1/2" S Ell Body Assembly	Stainless Steel	100	10.16
670-2600	3/8" SB Multi-Body Assembly	White	200	6.02
670-2330	1" Spigot Straight Body Assembly	White	50	7.08
670-2380	1" Spigot Straight Body Assembly	Stainless Steel	100	10.16
670-2290	3/8" SB Straight Body Assembly	White	150	6.70
670-2390	3/8" SB Straight Body Assembly	Stainless Steel	150	9.38
670-2500	Ozone Air Injector – 3/8" Barb Body	White	150	7.08
670-2408L	3/8" SB Glo Injector Ell Body Assembly	Clear	150	8.21



Lo-Pro Air Injectors

Part No.	Description	Case Quantity	List (US \$)
670-2190	1" Spigot x 3/4" - Adapter Style - Stainless Steel	75	10.16
670-2200	3/8" SB - Ell Body	150	7.08
670-2210	3/8" SB - Ell Body - Stainless Steel	150	10.16
711-0020	Grommet Gasket - Low-Pro Air Injector	150	0.56
711-1350	Flat Gasket - Low-Pro Air Injector	150	0.58



Tee			
Part No.	Description	Case Quantity	List (US \$)
670-6309-SHS	Micro Air / Water Injector Tee Short	6	6.73
670-6319-LGS	Micro Air / Water Injector Tee Long	6	7.58

EII			
Part No.	Description	Case Quantity	List (US \$)
670-6109-SHS	Micro Air / Water Injector EII Short	6	6.63
670-6119-LGS	Micro Air / Water Injector EII Long	6	7.48



Stealth II

NEW!
QUIETER
DESIGN

FEATURES:

- High performance motor runs cooler and quieter
- High impact resistant construction
- Has been tested, certified and listed by UL to requirements of both UL and CSA standards



Stealth II Blower Assemblies

Part No.	Description	Amps	Case Quantity	List (US \$)
700-3011-000	1.0 HP - 110V - 1 1/2" S / 2" Spigot	6.7	6	202.09
700-3151-000	1.5 HP - 110V - 1 1/2" S / 2" Spigot	7.6	6	229.77
700-3102-000	1.0 HP - 220V - 1 1/2" S / 2" Spigot	4.0	6	216.92
700-3152-000	1.5 HP - 220V - 1 1/2" S / 2" Spigot	4.2	6	236.25
700-3201-000	2.0 HP - 110V - 1 1/2" S / 2" Spigot	8.8	6	290.65
700-3202-000	2.0 HP - 230V - 1 1/2" S / 2" Spigot	5.8	6	267.09

See Blower Sizing on page 250 to calculate your required blower size.

Listed price is without cord. Please call Waterway for part number and pricing with cord.



Spa Drains & Suctions / Lo-Pro Suctions and Floor Drains



Low Profile Drain Assemblies

Part No.	Description	Case Quantity	List (US \$)
640-0400	¾" Socket / 1" Spigot	100	8.62
640-0420	Shur-Grip - ¾" SB	100	8.62
640-0401S	¾" Socket - Stainless Steel Cover	100	16.05
640-0430	Large Face - ½" S	100	12.07
711-0080	Grommet Gasket	1000	0.56



90° Ell Lo-Pro Spa Floor Drains

Part No.	Description	Case Quantity	List (US \$)
640-4340	¾" S Floor Drain	40	21.25
640-4400	1" S Floor Drain	40	21.25
640-4440	¾" SB Floor Drain	40	21.25



WARNING

Read and follow all instructions in the Owner's Manual for all equipment.
Failure to follow instructions can cause injury and/or death.

**VGB
2008**

All Waterway Drains, Grates and Suctions are Listed and Certified and Tested in strict accordance to the requirements of ASME A112.19.8-2007 and ASME A112.19.8a-2008 (as defined in CPSC letter dated April 8, 2011). Compliant to the latest Consumer Safety Product Commission Requirements (CPSC).



**VGB
2008**





640-3250 VP

FEATURES:

- New Hi-Flo rating of 128 GPM (without vacuum break)
- For portable spas
- Available in 1 1/2" S sizes

SPECIFICATIONS:

- Total Open Area: 4.01 sq. in.
- Floor Flow Rate: N/A
- Wall Flow Rate: 128 GPM



SPC-2 VP - 3.5" Hi-Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
640-325x VP	Hi-Flo Suction Assembly - 1 1/2" Hex (without Vacuum Break)	80	18.41
640-328x VP	Hi-Flo Suction Assembly - 1 1/2" 90° Ell (without Vacuum Break)	80	22.65
640-348x VP	Hi-Flo Suction Assembly - 1 1/2" 90° Ell (with 642-4120 VAC Vacuum Break)	80	22.65



Spa Drains & Suctions / 3.5" Ultra Hi-Flo Suctions



Patent
Pending



VGB
2008



640-3497 VP

SPECIFICATIONS:


- Total Open Area: 6.24 sq. in.
- Floor Flow Rate: N/A
- Wall Flow Rate: 160 GPM
- For portable spas



3.5" Ultra Hi-Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
640-349x VP	3.5" Ultra Hi-Flo Suction - Tall Assembly	50	18.41

Replace the final x in the part number with the color of your choice (see page 4 for colors).





Patent # US 629,875 S

FEATURES:

- Flow Rate of 252 GPM (portable spas only)
- Available in 2" and 2 1/2" S sizes
- Two tone color for additional color coordination
- Available in Stainless Steel / color of your choice

VGB
2008



5" Designer Pro Series Suctions

Part No.	Description	Case Quantity	List (US \$)
640-520x V	5" Designer Pro Series Suction - 2" S - Two Tone	35	28.87
640-525x V	5" Designer Pro Series Suction - 2 1/2" S - Two Tone	35	28.87
640-530x V	5" Designer Pro Series Suction - 2" S - Two Tone Stainless Steel	35	40.85
640-535x V	5" Designer Pro Series Suction - 2 1/2" S - Two Tone Stainless Steel	35	40.85

Replace the final x in the part number with the color of your choice (see page 4 for colors).





640-3797 V

VGB
2008



SPECIFICATIONS:

- Total Open Area: 9.02 sq. in.




SPC-3 VP - 5" Super Hi-Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
640-378x V	5" Super Hi-Flo Suction Assembly - 2" S	35	25.57
640-379x V	5" Super Hi-Flo Suction Assembly - 2 1/2" S	35	25.57
640-3570S V	5" Super Hi-Flo Suction Assembly - 2" S - Stainless Steel	35	37.55
640-3580S V	5" Super Hi-Flo Suction Assembly - 2 1/2" S - Stainless Steel	35	37.55

Replace the final x in the part number with the color of your choice (see page 4 for colors).





Spa Drains & Suctions / 5" Ultra Flo Suctions for Portable Spas



Patent
Pending
640-3937 V



VGB
2008



FEATURES:

- Ultra Flo Rating of 264 GPM (portable spas only)
- Available in 2" and 2 ½" S sizes
- 2 ½" can be used with fittings (below)

SPECIFICATIONS:

- Total Open Area: 11.87 sq. in.

5" Ultra Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
640-394x VP	5" Ultra Flo Suction Assembly - 2" S	35	25.87
640-393x VP	5" Ultra Flo Suction Assembly - 2 ½" S	35	25.87

Replace the final x in the part number with the color of your choice (see page 4 for colors)



642-3680



642-3700



642-3610

Non-Vacuum Break Fittings for 2 ½" S Ultra Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
642-3680	2 ½" x 2" S Straight Adapter	80	6.72
642-3700	2 ½" x 2" S 90° Ell Adapter	55	7.45
642-3610	2 ½" S 90° Ell Adapter	70	7.88
642-3730	2" S 90° Threaded Ell Adapter	35	6.72
642-3750	2" Threaded Straight Adapter	50	6.72



Waterway's new toggle air control allows the user to simply toggle the air on or off without having to grab a knob or turn a lever. Makes air adjustments easy!

FEATURES:

- Ergonomically designed
- Two Body sizes available: 2 1/4" short and 3" tall
- Blower assist tee available for tall control
- Top accessible for easy cleaning
- Two body styles to choose from: short and extra short
- Available in a variety of colors



650-1010


650-2010

Toggle Air Controls

Part No.	Description	Case Quantity	List (US \$)
650-2010	Toggle On/Off Air Control Textured (Short)	100	17.73
650-1010	Toggle On/Off Air Control Textured (Long)	100	19.14

FEATURES:

- Low-Profile design
- Compression molded silicone umbrella valve
- Two handle styles to choose from: standard and stainless steel
- Two body styles to choose from: short and extra short
- Available in a variety of colors



660-4400S

660-4400

660-4410S

660-4410

660-4449-DSG

660-4459DSG-PS

TruSeal Air Controls

Part No.	Description	Case Quantity	List (US \$)
660-4400	Short Body - 2 1/2"	150	14.38
660-4400S	Short Body - 2 1/2" - Stainless Steel	150	16.78
660-4410	Extra Short Body - 2"	200	14.38
660-4410S	Extra Short Body - 2" - Stainless Steel	200	16.78
660-4450	Extra Short Body - 2" - "S" Style	200	14.38
660-4440	Low Profile - 1" - 6-Spoke Style	30	14.38



Air Controls / Top-Access Air Controls & Accessories



660-3570



660-3560



660-3510



660-3608 L



660-3580



660-5510



660-3599-DSGS



660-6011



660-3910

Top-Access Air Controls

Part No.	Description	Case Quantity	List (US \$)
660-3570	1" Top-Access Air Control - Notched Style	100	19.28
660-3560	1" Top-Access Air Control - Scalloped Style	100	19.28
660-3510	1" Top-Access Air Control - 6-Spoke Style	100	19.28
660-3520	1" Top-Access Air Control - 6-Spoke Style - Two-Tone	100	20.35
660-3530	1" Top-Access Air Control - Revo Style - Two-Tone	100	20.35
660-3600	1" Top-Access Air Control - "S" Style - Two-Tone	100	20.35
660-3580	1" Top-Access Air Control - 5-Scalloped Style - Textured	150	19.86
660-6011	1" Top-Access Air Control - Revo Style	--	18.72
660-5510	1" Top-Access Air Control - Eclipse Style, Two Tone	100	20.35
660-3590	1" Top-Access Air Control - Humpback Style	--	20.35
660-3500	1" Top-Access Air Control - Star Style	--	20.35
660-3910	1" Top-Access Air Control - Luxe Style	100	20.35

Note:


• Contact your Sales Representative to order Aura or Glo style Top Side Valves




413-4180



916-0030



730-1000



711-0010

Air Control Options

Part No.	Description	Case Quantity	List (US \$)
413-4180	Blower Assist Tee - F.A.S. 1" S	200	5.10
413-4200	Blower Assist Tee - F.A.S. ½" S	100	5.10
916-3001	Escutcheon - Polished Chrome (fits 660-3000)	--	15.93
916-0030	Trim Ring - Stainless Steel	--	1.94
730-1000	Spacer and Gasket Assembly	500	1.22
711-0010	Gasket	1000	0.58



Elegant Top Side Controls
to Match Our Luxe Series Jets

NEW



Luxe Top Side Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3960	1" Diverter Valve	Luxe	90	25.18
600-3910	2" Top Access Diverter Valve	Luxe	10	36.44

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves

Exquisite Top Sides Now Available to
Match Our New Eclipse Series Jets

NEW



Eclipse Top Side Valves

Part No.	Description	Style	List (US \$)
600-551x	2" Top Access Diverter Valve Assy, Texture, 2-Tone	Eclipse	38.75
600-552x	1" Top Access Diverter Valve Assy, Texture, 2-Tone	Eclipse	22.50

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



Top Side Valves / 5-Scallop Valves



FEATURES:

- Shuts off 100% with a 180° turn
- Available in two body sizes: ¾" Socket or ¾" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4700	¾" S x ¾" S	5-Scallop	90	26.99
600-4710	Shur-Grip - ¾" SB x ¾" SB	5-Scallop	90	26.99

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



FEATURES:

- 100% shut off
- Three different body styles to choose from
- Horizontal model is submersible
- Top access for easy servicing
- Works great for waterfalls and neck jets
- Sleeve allows for on/off adjustments with fewer turns



On / Off Turn Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4360	1" Vertical - Single Port	5-Scallop	100	25.45
600-4370	1" Vertical - Dual Port	5-Scallop	90	26.98
600-4380	1" Horizontal - Dual Port	5-Scallop	100	26.98
600-4600	1 ½" Vertical - Single Port	5-Scallop	40	31.86
602-4440	Sleeve (low volume applications only)	--	40	0.94

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors



Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4220	1" Vertical - 1-Port	5-Scallop	90	25.09
600-4210	1" Vertical - 2-Port	5-Scallop	90	25.09
600-4230	1" Horizontal - 2-Port	5-Scallop	90	25.09
600-3020	2" Horizontal - 2-Port	5-Scallop	15	35.37
600-3040	2" Vertical - 2-Port	5-Scallop	15	35.37

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves

**FEATURES:**

- Shuts off 100% with a 180° turn
- Available in two body sizes: ¾" Socket or ¾" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4720	¾" S x ¾" S	6-Spoke	90	26.99
600-4730	Shur-Grip – ¾" SB x ¾" SB	6-Spoke	90	26.99
600-3190	¾" S x ¾" S	6-Spoke - Two Tone	90	28.27
600-3210	Shur-Grip – ¾" SB x ¾" SB	6-Spoke - Two Tone	90	28.27

Note: Contact your Sales Representative to order Glo style Top Side Valves



600-4721
Pat. #D,597,863 S

600-4731
Pat. #D,597,863 S

FEATURES:

- 100% shut off
- Three different body styles to choose from
- Horizontal model is submersible
- Top access for easy servicing
- Works great for waterfalls and neck jets
- Sleeve allows for on/off adjustments with fewer turns



602-4440



600-4401
Pat. #D,597,863 S

600-4411
Pat. #D,597,863 S

On / Off Turn Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4400	1" Vertical - Single Port	6-Spoke	100	25.45
600-4410	1" Vertical - Dual Port	6-Spoke	90	26.98
600-4420	1" Horizontal - Dual Port	6-Spoke	100	26.98
600-3180	1" Vertical - Dual Port	6-Spoke - Two Tone	90	26.52
602-4440	Sleeve (low volume applications only)	--	40	0.94

Note: Contact your Sales Representative to order Glo style Top Side Valves



600-4421
Pat. #D,597,863 S

FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors



600-3611
Pat. #D,597,863 S

600-3601
Pat. #D,597,863 S

600-3621
Pat. #D,597,863 S

Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3610	1" Vertical - 1-Port	6-Spoke	70	24.86
600-3600	1" Vertical - 2-Port	6-Spoke	70	24.86
600-3620	1" Horizontal - 2-Port	6-Spoke	70	26.04
600-3220	2" Horizontal - 2-Port	6-Spoke	15	35.37
600-3230	2" Vertical - 2-Port	6-Spoke	15	35.37
600-3150	1" Vertical - 1-Port	6-Spoke - Two Tone	90	25.94
600-3160	1" Vertical - 2-Port	6-Spoke - Two Tone	90	25.94
600-3170	1" Horizontal - 2-Port	6-Spoke - Two Tone	90	25.94
600-3140	2" Vertical - 2-Port	6-Spoke - Two Tone	15	37.53

Note: Contact your Sales Representative to order Glo style Top Side Valves



600-3221
Pat. #D,597,863 S

600-3231
Pat. #D,597,863 S



Top Side Valves / Notched Valves



600-4787



600-4757



FEATURES:

- Shuts off 100% with a 180° turn
- Available in two body sizes: 3/4" Socket or 3/4" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4750	Shur-Grip - 3/4" SB x 3/4" SB	Notched	100	26.99
600-4780	3/4" S x 3/4" S	Notched	100	26.99

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



600-4207



600-4347



600-4337

FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors



600-3017



600-3067

Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4200	1" Vertical - 1-Port	Notched	90	25.09
600-4340	1" Vertical - 2-Port	Notched	90	25.09
600-4330	1" Horizontal - 2-Port	Notched	90	25.09
600-3010	2" Horizontal - 2-Port	Notched	15	35.37
600-3060	2" Vertical - 2-Port	Notched	15	35.37

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves

**FEATURES:**

- Shuts off 100% with a 180° turn
- Available in two body sizes: ¾" Socket or ¾" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3280	¾" S x ¾" S	Revo - Two Tone	90	28.27
600-3250	Shur-Grip – ¾" SB x ¾" SB	Revo - Two Tone	90	28.27

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



600-3259DSG-1
Pat. #D,597,863 S

FEATURES:

- 100% shut off
- Three different body styles to choose from
- Horizontal model is submersible
- Top access for easy servicing
- Works great for waterfalls and neck jets
- Sleeve allows for on/off adjustments with fewer turns



602-4440



600-3299DSG-7
Pat. #D,597,863 S

On / Off Turn Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3290	1" Vertical - Dual Port	Revo - Two Tone	90	26.52
602-4440	Sleeve (low volume applications only)	--	40	0.94

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves

FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors



600-3639DSG-1
Pat. #D,597,863 S



600-3339DSG-1
Pat. #D,597,863 S

Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3630	1" Vertical - 1-Port	Revo - Two Tone	90	25.94
600-3330	1" Vertical - 2-Port	Revo - Two Tone	90	25.94
600-3340	1" Horizontal - 2-Port	Revo - Two Tone	90	25.94
600-3110	2" Vertical - 2-Port	Revo - Two Tone	15	37.53

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



600-3349DSG-1
Pat. #D,597,863 S



600-3119DSG-1
Pat. #D,597,863 S



Top Side Valves / "S" Style Valves

FEATURES:

- Shuts off 100% with a 180° turn
- Available in two body sizes: ¾" Socket or ¾" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3300	¾" S x ¾" S	"S" Style - Two Tone	90	28.27
600-3260	Shur-Grip – ¾" SB x ¾" SB	"S" Style - Two Tone	90	28.27

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



FEATURES:

- 100% shut off
- Three different body styles to choose from
- Horizontal model is submersible
- Top access for easy servicing
- Works great for waterfalls and neck jets
- Sleeve allows for on/off adjustments with fewer turns



On / Off Turn Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3310	1" Vertical - Dual Port	"S" Style - Two Tone	90	26.52
602-4440	Sleeve (low volume applications only)	--	40	0.94

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors

Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3240	1" Vertical - 1-Port	"S" Style - Two Tone	90	25.94
600-3270	1" Vertical - 2-Port	"S" Style - Two Tone	90	25.94
600-3320	1" Horizontal - 2-Port	"S" Style - Two Tone	90	25.94
600-3030	2" Vertical - 2-Port	"S" Style - Two Tone	15	37.53


Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves




FEATURES:

- Restricts the amount of flow through On/Off Valves to any water feature
- Break off any one of the four different nozzle sizes for desired water flow


3/16" – 4 GPM 1/4" – 7 GPM
5/16" – 10 GPM 3/8" – 15 GPM


Water Restrictor Washer Tree

Part No.	Description	Case Quantity	List (US \$)
218-9230	Water Restrictor Washer Tree	90	1.38

Valve Gaskets

Part No.	Description	Case Quantity	List (US \$)
711-4310	1" Flat Gasket	100	0.46
711-4600	1 1/2" Gasket	100	0.66
711-3050	2" Gasket	100	0.77


Air Bleed Assembly

Part No.	Description	Case Quantity	List (US \$)
212-1800	3/8" Barb	75	13.05




6" AQUA FALL

FEATURES:

- New 304 Stainless Steel escutcheon
- Simple design - less parts
- ¾" S intake
- 3-12 GPM



675-4000S



8" LOW PROFILE AQUA FALL


FEATURES:

- Simple design - less parts
- Low body profile
- 1" S intake
- 4-15 GPM

Pat. #6,450,418



675-4900



Aqua Falls

Part No.	Description	Case Quantity	List (US\$)
675-4900	8" Low Profile Aqua Fall	40	71.90
675-4900S	8" Low Profile Aqua Fall - Stainless Steel Blade	40	83.36
675-4000	6" Aqua Fall	50	35.97
675-4000S	6" Aqua Fall - Stainless Steel Blade	50	47.78

Note: See page 181 for LED Aqua Falls.

**FEATURES:**


- Adjustable Flo Control
- Single 3/4" SB Plumbing
- 316 Stainless Steel Escutcheon
- LED compatible

**675-3518LS****3 1/2" Adjustable Cascade**

Part No.	Description	Case Quantity	List (US\$)
675-3501S	3 1/2" Adjustable Cascade	20	50.40
675-3518LS	3 1/2" LED Adjustable Cascade	20	56.81

FEATURES:

- Adjustable Flo Control
- Single 3/4" SB Plumbing
- 316 Stainless Steel Escutcheon
- LED compatible

**675-3618LS****7" Adjustable Cascade**

Part No.	Description	Case Quantity	List (US\$)
675-3618LS	7" LED Adjustable Cascade	20	64.91





Water Features / Waterway Cascades

FEATURES:

- Extremely easy to install
- Built-in diffuser
- Easily serviceable

Pat. #6,450,418



675-3557S

675-3667S

Waterway Cascades

Part No.	Description	Case Quantity	List (US \$)
675-3500	3 1/2" Cascade - (2) 3/4" RB	20	32.91
675-3500S	3 1/2" Cascade - (2) 3/4" RB - Stainless Steel Blade	20	39.14
675-3508L	3 1/2" LED Cascade - (2) 3/4" RB	60	39.24
675-3508LS	3 1/2" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	60	45.56
675-3550	3 1/2" Cascade - (2) 3/4" RB - with Manifold	--	36.71
675-3550S	3 1/2" Cascade - (2) 3/4" RB - Stainless Steel Blade - with Manifold	--	42.94
675-3558L	3 1/2" LED Cascade - (2) 3/4" RB - with Manifold	25	43.03
675-3558LS	3 1/2" LED Cascade - (2) 3/4" RB - Stainless Steel Blade - with Manifold	25	44.30
675-3600	7" Cascade - (2) 3/4" RB	20	35.99
675-3600S	7" Cascade - (2) 3/4" RB - Stainless Steel Blade	80	43.00
675-3608L	7" LED Cascade - (2) 3/4" RB	20	44.76
675-3608LS	7" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	20	51.77
675-3660	7" Cascade - (2) 3/4" RB - with Manifold	--	41.04
675-3660S	7" Cascade - (2) 3/4" RB - Stainless Steel Blade - with Manifold	--	48.05
675-3668L	7" LED Cascade - (2) 3/4" RB - with Manifold	20	49.82
675-3668LS	7" LED Cascade - (2) 3/4" RB - Stainless Steel Blade - with Manifold	20	56.83
675-3708L	9" LED Cascade - (2) 3/4" RB	20	88.32
675-3708LS	9" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	20	88.32
675-3778L	9" LED Cascade - (2) 3/4" RB - with Manifold	20	94.02
675-3778LS	9" LED Cascade - (2) 3/4" RB - Stainless Steel Blade - with Manifold	20	101.39

**FEATURES:**

- Utilizes built-in spa reservoir for water housing
- Sleek, simplistic design
- Adjustable flow control
- Available with glamorous LED feature
- Now top accessible



Patent Pending

12" and 18" Spillover Waterfall

Part No.	Description	Case Quantity	List (US\$)
675-5330	Adjustable 12" Spillover Waterfall	1	85.83
675-5330L	Adjustable 12" LED Spillover Waterfall	1	101.28
675-5300	Adjustable 18" Spillover Waterfall	1	105.04
675-5300L	Adjustable 18" LED Spillover Waterfall	1	120.07
675-5280	Non Adjustable 18" Spillover Waterfall	1	89.23
675-5280L	Non Adjustable 18" LED Spillover Waterfall	1	104.25
TW027	12" Spillover Waterfall Negative Mold Insert	1	103.00
TW025	18" Spillover Waterfall Negative Mold Insert	1	137.33



675-4008L

Pat. #6,450,418 and 6,595,675



210-9288S

210-9278S

210-9318S

210-9980

210-9980S

210-9200
Pat. #7,818,826**LED Water Features**

Part No.	Description	Case Quantity	List (US \$)
675-4008L	6" LED Aqua Fall	50	44.04
675-4908L	8" Low Profile LED Aqua Fall	40	82.46
210-9200	Flush Mount LED Water Feature	100	56.41
675-3508L	3 1/2" LED Cascade - (2) 3/4" RB	60	40.42
675-3508LS	3 1/2" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	60	46.93
675-3608L	7" LED Cascade - (2) 3/4" RB	20	46.10
675-3608LS	7" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	20	53.32
675-3708L	9" LED Cascade - (2) 3/4" RB	20	90.97
675-3708LS	9" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	20	90.97
210-9318S	Standard Rope Water Feature, 3/4 SB	100	33.76
210-9278S	Fountain Water Feature, 3/4 SB	100	33.76
210-9288S	Slotted Water Feature, 3/4 SB	100	33.76
210-9308S	Standard Rope Water Feature, 3/4 RB	100	33.76
210-9258S	Fountain Water Feature, 3/4 RB	100	33.76
210-9268S	Slotted Water Feature, 3/4 RB	100	33.76
210-9980S	Flush Mount Water Feature - Eclipse - Metal	100	32.78

Also available in plastic.




FEATURES:

- Pops up when pressurized
- Drops down when depressurized
- Solid 7/16" rod shaped water stream, projects at 45° angle
- Available in several body styles and colors
- Maximum flow 4.76 GPM @ 3 PSI = 48" cascade

Patent # 8,011,604

**WATER
FEATURE**
popUps



Pop-Up Water Features			
Part No.	Description	Case Quantity	List (US\$)
675-0700	Standard - 3/4" RB	50	40.13
675-0710	Standard - 3/4" SB	50	40.13
675-0720	Standard - 3/4" S	50	40.13
675-0730	Standard - 1/2" S	50	40.13
675-0800	Top-Access - 3/4" RB	50	40.13
675-0810	Top-Access - 3/4" SB	50	40.13
675-0820	Top-Access - 3/4" S	50	40.13
675-0830	Top-Access - 1/2" S	50	40.13
675-0790L	LED Pop-Up Water Feature - 3/4" RB	50	47.33
675-0908L	LED Pop-Up Water Feature - 3/4" RB	50	47.33
675-0918L	LED Pop-Up Water Feature - 3/4" SB SP	50	47.33
675-0928L	LED Pop-Up Water Feature - 3/4" S	50	47.33
675-0938L	LED Pop-Up Water Feature - 1/2" S	50	47.33

**FEATURES:**

- Brilliantly illuminated resemblance of fire and ice
- Lots of motion
- Uses only three LED's
- Hole saw size is 3 1/8"
- 1" Socket Plumbing
- Requires only 3 – 5 GPM

Sculptured Ice Feature

Part No.	Description	List (US \$)
675-2088	LED Sculptured Ice Water Feature - Clear	34.60
675-2088S	LED Sculptured Ice Water Feature - Metal - Clear	38.97

FEATURES:

- Pops up when pressurized
- Drops down when depressurized
- Solid 7/16" rod shaped water stream, projects at 45° angle
- Available in several body styles and colors
- Maximum flow 4.76 GPM @ 3 PSI = 48" cascade



Pop-Up Water Features

Part No.	Description	Case Quantity	List (US\$)
675-2000	LED Pop-Up 180° Dome Feature	32	46.06
675-2000S	LED Pop-Up 180° Dome Feature - Stainless Steel Cap	32	50.46



633-7078



633-7088



633-7068



630-0008



630-5008



630-K008



630-K008S



630-0068S



630-6058S

LED Lights

Part No.	Description	Case Quantity	List (US \$)
633-7078	1/2" Threaded Faceted Light Lens Assembly	500	2.03
633-7088	1/2" Threaded Hex Style Light Lens Assembly	500	2.03
633-7068	1" Threaded Facet Light Lens Assembly with LED Sleeve	200	3.87
630-0068	Mini 2 1/8" Spa Light Assembly for Single LED	300	10.80
630-0068S	Mini 2 1/8" Spa Light Assembly for Single LED Stainless Steel	300	12.46
630-0008	Mini 2 1/8" Spa Light Assembly - Plastic Only	300	10.80
630-0008S	Mini 2 1/8" Spa Light Assembly - Stainless Steel Escutcheon	120	12.46
630-5008	Standard 3 1/2" Spa Light Assembly - Plastic Only	80	17.36
630-K008	5" Jumbo Spa Light Assembly - Plastic Only	40	40.67
630-K008S	5" Jumbo Spa Light Assy - Plastic Only - No Lenses - MTL Esc.	40	49.07
630-6058S	XL Jumbo Spa Light 7.5" with Stainless Steel Escutcheon		73.65

FEATURES:


- Designed for mounting in a cup holder recess
- Illuminates clear glasses and cups
- Requires only one LED

**630-0038****LED Cup Holder Light Lens**

Part No.	Description	Case Quantity	List (US \$)
630-0038	LED Cup Holder Light Lens	20	10.85

**660-6300****FEATURES:**


- Illuminates spa skirting
- Mounts to outside perimeter of spa cabinet
- Requires only one LED

**630-6401****LED Cabinet Light**

Part No.	Description	Case Quantity	List (US \$)
630-6300	½" Threaded Faceted Light Lens Assembly	500	2.03
630-6400	LED Cabinet Light	--	7.88

FEATURES:

- Used as perimeter lighting up underneath spa shell or kick plate area
- Bends to conform to corners of any radius
- Accepts up to three LED lights

**672-0041****LED Strip Light**

Part No.	Description	Case Quantity	List (US \$)
672-0041	LED Strip Light	20	9.86



Standard 3 1/2" O.E.M. Spa Light Kits

Part No.	Description	Case Quantity	List (US \$)
630-5005	Plastic Only - with Red and Blue Lenses	50	19.84
630-5115	O.E.M. Kit - with 8 ft. Wire Harness - Bulb & 110V/12V - 1-Amp Transformer	40	38.24
630-5105	O.E.M. Kit - with 8 ft. Wire Harness and Bulb	50	25.51
630-5205	O.E.M. Kit - with 8 ft. Wire Harness - Bulb and 2-Pin Connector	50	35.11



Front Access 3 1/2" O.E.M. Spa Light Kits

Part No.	Description	Case Quantity	List (US \$)
630-6005	Plastic Only - includes Wrench	50	26.91
630-6115	Kit - includes 8 ft. Wire Harness - Bulb - Wrench - 110V/12V 1-Amp Transformer	40	45.32
630-6105	Kit - includes 8 ft. Wire Harness - Bulb - Wrench	45	32.55
630-6205	Kit - includes 8 ft. Wire Harness - Bulb - Wrench - 2-Pin Connector	40	42.17




Spa Light Power Supply and NEMA Cord

Part No.	Description	Case Quantity	List (US \$)
630-1105	110V/12V without Air Switch	20	69.09
630-1115	110V/12V with Air Switch	20	100.15



Jumbo 5" O.E.M. Spa Light Kits

Part No.	Description	Case Quantity	List (US \$)
630-K005	Plastic Only - with Red and Blue Lenses	40	43.23
630-K008S	Plastic Only - Stainless Steel Escutcheon - with Red and Blue Lenses	40	49.07
630-K115	Kit - 8 ft. Wire Harness - 2-Pin Connector - Bulb - 110V/12V 1-Amp Transformer	20	61.85
630-K105	Kit - 8 ft. Wire Harness - Bulb	32	48.14



Spa Light Accessories

Part No.	Description	Case Quantity	List (US \$)
813-4370	Bulb #912	--	3.30
813-4400	1-Amp Transformer - 120V / 12V - 60Hz	40	13.63
813-4500	1-Amp Transformer - 230V / 12V - 50/60Hz	40	19.26
630-0005	Light Lens Kit - 1 Red and 1 Blue Lens	75	8.50
711-6930	Double-Seal Gasket - Mini Spa Light	75	1.60

FEATURES:

- Allows 1" flexible electrical conduit to be nicely mounted to spa cabinet or doghouse areas
- 1" Socket on both sides
- Mounts like a flush mount bulkhead fitting



Electrical Bulkhead Wallfitting

Part No.	Description	Case Quantity	List (US \$)
210-1861	1" Electrical Bulkhead Wallfitting with Cap	100	3.35



NEW

The new standard for Spa Pack performance!

NEO 2100 SPA CONTROL SYSTEM

One innovative system that offers 64 different configurations!

- External equipment & topside panel connections
- Modular equipment expansion
- Toggle terminal connection
- Electronic Thermal Sensing (ETS) system
- Equipment converts 240V to 120V
- Converts from 60 Hz to 50 Hz
- Wi-Fi ready
- Topside features a 1.8" color LCD display
- Panel back light w/White LED or optional RGB LED
- Easy menu navigation
- Multi languages (English, French, Spanish, German)
- Real-time clock



UL certified for the US & Canada CE compliant for Europe



Spa Pack NEO 2100 & NEO 1100

Part No.	Description	List (US \$)
777-WW99001	NEO 2100 Control Kit, 2-2Spd Pumps, Blwr, O3, AV 4.0Kw Htr. W/ NEO 1100 Panel	1088.36
777-WW99002	NEO 2100 Control Kit, 2-2Spd Pumps, Blwr, O3, AV 5.5Kw Htr. W/ NEO 1100 Panel	1088.36
777-WW99003	NEO 2100 Control Kit, 2-2Spd Pumps, Blwr, O3, AV 4.0Kw Htr. W/ NEO 2100 Panel	1,115.83
777-WW99004	NEO 2100 Control Kit, 2-2Spd Pumps, Blwr, O3, AV 5.5Kw Htr. W/ NEO 2100 Panel	1115.83

Accessories / Replacements

775-0501	Daughter Board 1 (DB-1)	137.33
775-0502	Daughter Board 2 (DB-2)	223.17
780-8020	NEO 2100 Retro Kit, 2-2spd & 1 1spd 4PIN Amp Cords, Light Cord, Adapter Plate	122.25

Accessory Breakdown for 780-8020

633-1000	Light Lead W/2-Pin Connector	11.90
741-CGGG-45X	Power Cord, 4 Ft. 4 Pin-Amp, 2 Speed	27.46
741-CGGZ-44X	Power Cord, 4 Ft. 4 Pin-Amp, 1 Speed	25.75
885-8020	Adapter Plate – Spa Pack NEO 2100	31.75



FEATURES:

- Latest speaker design with Titanium tweeter
- LED capable
- Dampening device
- Pop-up design

Standard Features:

- Dampened speaker lift
- Front and back LED ports
- 30% more compact than previous models

Red/Black Tinted Speaker Cable sold separately



675-4200


SPECIFICATIONS:

- 15 W RMS / 30 W Peak
- Impedance: $4 \Omega \pm 15\% \Omega$
- Resonant Frequency: 110 Hz $\pm 20\%$ Hz
- SPL: 70 dB ± 3 dB ref 1 W/1M
- Frequency Response: ~20 KHz, max ± 10 dB

Options:

- Rotational and non-rotational
- Multiple lighting options
- Front ambient light
- Lit logo (call for details)
- Lit ring with Glo Tubes (requires rotation ring and nut)

Compact Design 30% shorter than previous model



Magna Tune



675-2010S
675-2010LS

US Pat. 7,814,583 B2
US Pat. 8,136,178 B2

Magna Tune 6" Pop-Up Silo Speaker System

Part No.	Description	List (US \$)
675-2010	Magna Tune pop-up speaker (Rotational)	161.33
675-2010L	Magna Tune pop-up speaker (Rotational) LED	190.90
675-2020	Magna Tune pop-up speaker (Non-rotational)	152.33
675-2020L	Magna Tune pop-up speaker (Non-rotational) LED	181.89
675-4200	Speaker Cable - Red /Black 18AWG, 41/0.16, OD: 2.5 x 5.0mm tinned copper 1 Roll = 500 ft.	270.34

Note: For metal grill add "s" to the part number suffix.

Mounting Specifications

	Rotational Cap	Non-Rotational Cap
Hole size	5"	4 3/4"
Closed height	3/4"	3/8"
Flange OD	6"	5 5/8"

Speaker depth from flange: 9 3/4"

Adding prices later



Speakers / Flush Mount Speakers, Enclosures, MP3 Player Holders

FEATURES:

- Water-resistant, premium-grade speaker
- Unique flush mount design
- No moving parts
- Easy installation
- Dual color schemes
- Private label available

SPECIFICATIONS:

- 3.5"
- 15 W RMS / 30 W Peak
- Impedance: $4 \Omega \pm 15\% \Omega$
- Resonant Frequency: $110 \text{ Hz} \pm 20\% \text{ Hz}$
- SPL: $70 \text{ dB} \pm 3 \text{ dB ref } 1 \text{ W/1M}$
- Frequency Response: $\sim 20 \text{ KHz, max } \pm 10 \text{ dB}$



4.5" Flush Mount Speaker and LED 4.5" Flush Mount Speaker

Part No.	Description	Case Quantity	List (US \$)
675-0460	4.5" Flush Mount Speaker	5	85.98
675-0460L	4.5" LED Flush Mount Speaker	--	97.48

FEATURES:

- Fits both Clarion and Aeware marine stereos



Stereo Enclosures

Part No.	Description	Case Quantity	List (US \$)
672-9001	Stereo Enclosure - Clarion CMD4A	20	18.80
672-9011	Stereo Enclosure - Aeware In-Tune 100	20	18.80
672-9101	Stereo Enclosure - Generic	20	18.80

FEATURES:

- Guillotine cover
- Fits most MP3 players
- Input and output ports for control unit and stereo




MP3 Player Holders


Part No.	Description	Color	Case Quantity	List (US \$)
675-0200	MP3 Player Holder	White	20	36.84
675-0211	MP3 Player Holder	Black	20	41.15
675-0217	MP3 Player Holder	Gray	20	41.15
675-0219-DSG	MP3 Player Holder	Dark Silver Glitter	20	41.15
675-0219-ST5	MP3 Player Holder	Sterling Silver	20	41.15


FEATURES:

- Floating guillotine-style weir
- Easy through-wall installation (requires only one round hole to mount)
- 15 sq. ft.
- Easily accessible basket
- Skim Filter has easily accessible cartridge





For replacement parts, see page 311.


Deluxe Strip Skimmer and Strip Skim Filter


Part No.	Description	Case Quantity	List (US \$)
510-6900	Deluxe Strip Skimmer - 1 1/2" S	50	90.80
510-6910	Deluxe Strip Skim Filter - 1 1/2" S, 15 sq. ft.	50	139.12



Strip Skimmers			
Part No.	Description	Case Quantity	List (US \$)
640-6920	Strip Skimmer - 1 1/2" x Standard Nut	35	28.83
640-6940	Strip Skimmer - 1 1/2" x 90° Ell	25	33.40
640-6960	Strip Skimmer - 1 1/2" x Straight Adapter Nut	25	33.38
640-6600	Adjustable Strip Skimmer with Lint Basket - 1/2" S Ell	20	50.85


510-1500

510-1600

INCLUDES:

- 10 sq. ft. Cartridge
- EZ Flow Basket
- Flow Control Diverter Plate
- Trim Plate - White
- Mounting Gasket


510-1650T

INCLUDES:

- 10 sq. ft. Cartridges (2)
- EZ Flow Basket
- Flow Control Diverter Plate
- Trim Plate - White
- Mounting Gasket

For replacement parts, see page 315.

Front Access Skimmers and Skim Filters

Part No.	Description	Case Quantity	List (US \$)
510-1500	Square Spa Skimmer – 1 ½" S / 2" Spigot - Flow Control with Trim Plate	4	87.83
510-1600	Square Spa Skim Filter – 1 ½" / 2" Spigot - 10 sq. ft.	4	135.96
510-1650T	Square Spa Skim Filter – 1 ½" / 2" Spigot - 20 sq. ft.	2	173.74




FEATURES:

- 50 sq. ft. Cartridges (2) (100 sq. ft. total)
- 2" Spigot Output Ports (2)
- Extra Large 5 1/2" x 14" Weir Area
- Extra Large 8" x 14" Basket
- Easy Access to Basket and Cartridges
- Easy Through-Wall Installation



510-6620



Hole Size 8.75" x 15.5"

FEATURES:

- 50 sq. ft. Cartridge
- 2" Spigot Output Port
- Easy access to basket and cartridges
- Easy Through-Wall Installation



510-9020



672-5090


Front Access Skim Filters

Part No.	Description	Case Quantity	List (US \$)
510-9020	50 sq. ft. Front Access Skim Filter - Single Port - Oval Style	2	242.79
510-6620	100 sq. ft. Front Access Skim Filter - Dual Port - Oval Style	2	320.60
672-5090	100 sq. ft. Skim Filter Manifold Tee with Plug	20	22.87



FEATURES:

- New Roadster grill design
- 50 sq. ft. Cartridges (2) (100 sq. ft. total)
- 2" Spigot Output Ports (2)
- Extra Large 5 ½" x 14" Weir Area
- Extra Large 8" x 14" Basket
- Easy Access to Basket and Cartridges
- Easy Through-Wall Installation



Skimmers / Filters

100 sq. ft. Front Access Roadster Skim Filter


Part No.	Description	Case Quantity	List (US \$)
510-6680	100 sq. ft. Front Access Roadster Skim Filter	--	334.10



Spa Skimmers and Filters / Teleweir Skim Filters

FEATURES:

- Cage-style tower eliminates unwanted vortexing
- Safety orientated
- Easily accessible basket for effortless cleaning
- Available in several different filter sizes
- 2" Socket IN/OUT plumbing
- Built in Check Valve
- Hole Saw Size: Ø 6.88"
- Custom logo plate available for volume orders



510-4600

For replacement parts, see page 302.

Teleweir Skim Filters

Part No.	Description	"A" Dimension	Case Quantity	List (US \$)
510-4630	25 sq. ft. Teleweir Skim Filter	20.25 in.	20	217.88
510-4620	35 sq. ft. Teleweir Skim Filter	16.00 in.	20	228.76
510-4600	50 sq. ft. Teleweir Skim Filter	20.25 in.	20	232.70
510-4590	75 sq. ft. Teleweir Skim Filter	26.38 in.	20	244.52
510-4680	50 sq. ft. Teleweir Skim Filter - Low Volume	20.25 in.	20	232.70

FEATURES:

- Extra-large housing designed especially for Swim Spas
- Cage-style tower eliminates unwanted vortexing
- Safety orientated
- Easily accessible basket for effortless cleaning
- Hi capacity 2 ½" Socket IN/OUT Plumbing
- Built in check valve
- Hole saw size is 8.5"
- Custom logo plates available for volume orders




Mega Teleweir Skim Filters

Part No.	Description	"A" Dimension	List (US \$)
510-4570	75 sq. ft. Mega Teleweir Skim Filter	21.75 in.	273.19



FEATURES:

- Improved exclusive vent system for added safety
- Exclusive bayonet lock retains the basket and weir
- PVC upper threaded, middle and bottom body components are compatible with PVC glues and most silicones
- New compact sizes
- Traditional 4-scallop escutcheons to match the decor of the spa
- Telescoping weir has 6" of travel
- Built-in restriction valve for improved filtration with low volume
- Two basket sizes
- Dyna-Flo replacement parts fit all existing Dyna-Flo Top-Mount Filters
- Retrofits Dynamic Series Rainbow Skim Filters



DYNA-FLO PLUS



Low Volume
8 GPM Minimum



Hi Volume
15 GPM Minimum

LOW PROFILE DYNA-FLO



Low Volume
8 GPM Minimum



Hi Volume
15 GPM Minimum

For replacement parts, see page 306.

Dyna-Flo Top-Mount Skim Filters


Part No.	Size	Description	Height	List (US \$)
510-4520	2" Socket - 25 sq. ft.	Dyna-Flo Plus - Low Volume - 8 GPM Minimum	21 1/8"	227.49
510-4550	2" Socket - 50 sq. ft.	Dyna-Flo Plus - Low Volume - 8 GPM Minimum	21 1/8"	242.27
510-9520	2" Socket - 25 sq. ft.	Dyna-Flo Plus - Hi Volume - 15 GPM Minimum	21 1/8"	227.49
510-9540	2" Socket - 40 sq. ft.	Dyna-Flo Plus - Hi Volume - 15 GPM Minimum	17 1/4"	234.68
510-9550	2" Socket - 50 sq. ft.	Dyna-Flo Plus - Hi Volume - 15 GPM Minimum	21 1/8"	245.54
510-3520	2" Socket - 25 sq. ft.	Low Profile Dyna-Flo - Low Volume - 8 GPM Minimum	19 5/8"	217.88
510-3540	2" Socket - 40 sq. ft.	Low Profile Dyna-Flo - Low Volume - 8 GPM Minimum	15 3/4"	225.07
510-3550	2" Socket - 50 sq. ft.	Low Profile Dyna-Flo - Low Volume - 8 GPM Minimum	19 5/8"	232.70
510-6520	2" Socket - 25 sq. ft.	Low Profile Dyna-Flo - Hi Volume - 15 GPM Minimum	19 5/8"	217.88
510-6540	2" Socket - 40 sq. ft.	Low Profile Dyna-Flo - Hi Volume - 15 GPM Minimum	15 3/4"	225.07
510-6550	2" Socket - 50 sq. ft.	Low Profile Dyna-Flo - Hi Volume - 15 GPM Minimum	19 5/8"	232.70

For textured High-Volume Lock-Ring, add "T" to the end of the part number.



FEATURES:

- Extra-large 10" diameter body for improved filtration
- Extra-large 6 1/2" diameter cartridge for larger cartridge sizes
- Exclusive "Vent System" for added safety
- PVC upper, middle and bottom sections are compatible with PVC glues and most silicones
- Available in 50, 75 and 100 sq. ft.
- Adjustable restrictor valve for variable flow control
- Extra-large basket
- Removable bypass valve for easy servicing
- Optional chemical feeder
- Available in 2" or 2 1/2" Socket In/Out




For replacement parts, see page 307.

Dyna-Flo XL Skim Filters

Part No.	Socket Size	Filter Size	Filter Length	List (US \$)
512-0270	2"	75 sq. ft.	21 3/4"	318.49
512-0210	2"	100 sq. ft.	26 1/4"	341.29
512-2550	2 1/2"	50 sq. ft.	21 3/4"	301.98
512-2570	2 1/2"	75 sq. ft.	21 3/4"	318.49
512-2510	2 1/2"	100 sq. ft.	26 1/4"	341.29

FEATURES:

- Skims water without the use of a weir
- No moving parts
- Uses the same size hole pattern as our standard Dyna-Flo
- Allows for a larger variance of water levels




For replacement parts, see page 308.

Ultra Skim Filter


Part No.	Filter Size	Filter Length	List (US \$)
514-6550	50 sq. ft.	19 5/8"	251.12

**5.5" FILTER FEATURES:**

- Top Load Filter
- 20 Sq. Ft. 2 7/8" X 19.5" Cartridge
- 1" Socket IN/OUT
- 1" Check Valve
- PVC Construction

**510-3600****500-2500**

For replacement parts, see page 304.



Custom sizes available.
Please contact your Waterway sales representative.

5.5" Top-Load Filters


Part No.	Description	List (US \$)
510-3600	1" - 20 sq. ft. Cartridge with Bypass Valve	173.01

7.5" Top-Load Filters

Part No.	Description	List (US \$)
500-2500	1 1/2" - 25 sq. ft. Cartridge with Plug	138.65
500-2510	1 1/2" - 25 sq. ft. Cartridge with Bypass Valve	163.39
500-2540	1 1/2" - 25 sq. ft. Cartridge with Plug and 10-Tablet Brominator	190.78
500-2550	1 1/2" - 25 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	190.78
500-5000	1 1/2" - 50 sq. ft. Cartridge with Plug	189.31
500-5010	1 1/2" - 50 sq. ft. Cartridge with Bypass Valve	189.31
500-5050	1 1/2" - 50 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	216.23
500-6010	1 1/2" - without Cartridge - with Bypass Valve	154.75
500-6050	1 1/2" - without Cartridge - with Bypass Valve and 10-Tablet Brominator	181.84
502-2500	2" - 25 sq. ft. Cartridge with Plug	175.26
502-2510	2" - 25 sq. ft. Cartridge with Bypass Valve	175.26
502-2530	2" - 25 sq. ft. Cartridge with Bypass Valve and Flow Restriction Tube	187.33
502-2550	2" - 25 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	190.78
502-5000	2" - 50 sq. ft. Cartridge with Plug	189.31
502-5010	2" - 50 sq. ft. Cartridge with Bypass Valve	189.31
502-5030	2" - 50 sq. ft. Cartridge with Bypass Valve and Flow Restriction Tube	201.47
502-5050	2" - 50 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	216.23



500-7500



7.5" Top-Load Extended Filters, 1 1/2

Part No.	Description	List (US \$)
500-7500	75 sq. ft. Cartridge with Plug	226.62
500-7510	75 sq. ft. Cartridge with Bypass Valve	226.62
500-7550	75 sq. ft. Cartridge with Bypass Valve and 10 Tablet Brominator	253.51
500-9900	100 sq. ft. Cartridge with Plug	237.94
500-9910	100 sq. ft. Cartridge with Bypass Valve	237.94
500-9950	100 sq. ft. Cartridge with Bypass Valve and 10 Tablet Brominator	276.18

7.5" Top-Load Extended Filters, 2

Part No.	Description	List (US \$)
502-7500	75 sq. ft. Cartridge with Plug	226.61
502-7510	75 sq. ft. Cartridge with Bypass Valve	226.61
502-7550	75 sq. ft. Cartridge with Bypass Valve and 10 Tablet Brominator	246.15
502-9900	100 sq. ft. Cartridge with Plug	237.94
502-9910	100 sq. ft. Cartridge with Bypass Valve	237.94



500-1021



400-9140



212-1810



400-9030



212-1820



400-9220



640-3170



670-2007



400-9130



640-4220 / 640-4240 / 640-4230



400-9150

**New part
added here
similar to
212-1820**

FEATURES:

- Contains 10 Bromine
- Clear Container
- Bromine Adjustable Knob

NEW



500-1098

Filter Accessories

Part No.	Description	Case Quantity	List (US \$)
500-1021	Filter Niche with 2-Cup Holder Lid and Screws - Black	6	31.45
400-9140	Cartridge Mounting Assembly - 1 1/2" NPT - with Grate	150	8.26
212-1810	Thru Wall Fitting Assembly - 1/2" S x 1/2" S	150	12.14
400-9030	Cartridge Mounting Assembly with Grate - 2" S x 1 1/2" Acme	100	14.79
212-1820	Bulkhead Wall Fitting Assembly - 3/4" RB	150	12.14
400-9220	Vent Wall Fitting Assembly with Grate (color matching available)	50	7.58
500-1098	10-Tablet Brominator Assembly	70	26.91
640-3170	Suction Wall Fitting Assembly with Bypass Valve	40	17.00
400-9120	Cartridge Mounting Assembly - 1 1/2" NPT	150	7.58
400-9130	Cartridge Mounting Assembly - 2" NPT	100	14.79
670-2000	Water Nozzle Wall Fitting Assembly	200	6.82
640-4220	Lo-Pro 3/4" SB 90° Return Fitting Assembly	40	19.36
640-4240	Lo-Pro 3/4" S 90° Return Fitting Assembly	40	19.36
640-4230	Lo-Pro 1" S 90° Return Fitting Assembly	40	19.36
400-9150	Return Wall Fitting Assembly - 1 1/2" FPT x 1 1/2" S	50	9.43

**New part info
added here**



Spa Skimmers and Filters / Skimmer and Skim Filter Options & Weirs



Skim Filter Gaskets

Part No.	Description	Case Quantity	List (US \$)
711-3280	Double-Seal Gasket	100	6.65
711-8010	Grommet Gasket	--	4.72

Spa Mounting Plate

Part No.	Description	Case Quantity	List (US \$)
550-1600	Spa Skimmer Mounting Plate with Screws	50	14.13

Filter Extensions

Part No.	Description	Case Quantity	List (US \$)
510-1150	Filter Extension Assembly	1	30.34
519-2041	Filter Extension - Cover	1	10.61
519-2031	Filter Extension - Body	1	16.68



Weirs

Part No.	Description	Case Quantity	List (US \$)
680-2000	Custom Weir Assembly - 13 1/8" H x 23 1/4" W (customized logo & color with quantity order)	25	169.95
550-7760	Skimmer Frame & Weir Assembly with Waterfall	--	169.95
550-5610	Curved Weir Frame Assembly - 13" H x 20 3/4" W	--	64.52
550-0120	Tiered Weir Frame Assembly	--	86.71
550-6100	Weir Frame Assembly - 13 5/8" H x 13 7/16" W S-10 style	--	74.86
550-6110	Weir Frame 21 1/8" W x 13 1/2" S-10 style	--	88.36



Weir Accessories

Part No.	Description	List (US \$)
550-0411	Weir Mounting Brackets	161.33



817-2500

817-7500

Replacement Cartridges for In-Line and Top-Load Filters

Part No.	Description	Dimensions	Case Quantity	List (US \$)
817-3640	Cartridge - 20 sq. ft.	3" OD x 19.5" L Cartridge	--	34.48
817-2500	Cartridge - 25 sq. ft.	4 15/16" OD x 13 5/16" L	--	52.46
817-5000	Cartridge - 50 sq. ft.	4 15/16" OD x 13 5/16" L	16	75.43
817-7500	Cartridge - 75 sq. ft.	4 15/16" OD x 23 5/8" L	--	103.91
817-1000	Cartridge - 100 sq. ft.	4 15/16" OD x 23 5/8" L	--	114.02



Skim Filter Replacement Cartridge

Skim Filter Replacement Cartridges

Part No.	Size	Dimensions	Top Load	Front Access	List (US \$)
817-0010	10 sq. ft.	4 1/4" outer diameter x 4" L		x	33.00
817-3501	35 sq. ft.	4 15/16" outer diameter x 9 1/4" L (1 piece)		x	49.78
817-3510	35 sq. ft.	4 15/16" outer diameter x 4 5/8" L (2 pieces)		x	66.50
817-5010	50 sq. ft.	4 15/16" outer diameter x 6 5/8" L (2 pieces)		x	77.35
817-0050	50 sq. ft.	6" outer diameter x 8 1/4" L		x	75.01
817-0011	50 sq. ft.	6" outer diameter x 8 1/4" L (2 pieces upper)		x	75.01
817-0012	50 sq. ft.	6" outer diameter x 8 1/4" L (2 pieces lower)		x	75.01
817-2500	25 sq. ft.	5" outer diameter x 13 1/4" L	x		52.46
817-5000	50 sq. ft.	5" outer diameter x 13 1/4" L (1 piece)	x		75.43
817-0014	50 sq. ft.	5 5/16" outer diameter x 10 1/8" L	x		82.82
817-0015	75 sq. ft.	5 5/16" outer diameter x 14 13/16" L	x		103.64
817-7500	75 sq. ft.	5" outer diameter x 23 5/8" L (2 pieces)	x		103.91
817-0016	100 sq. ft.	5 5/16" outer diameter x 17 13/16" L	x		120.79
817-1000	100 sq. ft.	5" outer diameter x 23 5/8" L	x		114.02



Spa Pumps / Viper - 56-Frame

FEATURES:

- Viper wet end designed specifically for 56-frame motors
- Two double shielded ball bearings with moisture resistant grease for quieter operation and longer life
- Two speed motors have four sets of insulated windings for increased efficiency
- 56-frame motor for added strength, cooler operating temperature and longer motor life
- Large 2 1/2" intake for improved flow performance and reduced noise
- Large 8" diameter wet end for increased volume capacity
- Split capacitor, (start and run) for less energy consumption
- Thermally protected to extend life expectancy of motor
- Highly versatile wet end can be rotated every 90°
- Viton seals
- Three year warranty on motor and wet end




Call for available cords and plugs.



For 2-speed models only

For replacement parts, see page 271.

Viper Performance Chart



2-Speed Viper 56-Frame Pumps


Part No.	Description	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	List (US \$)
3721221-1V	2 1/2" Intake - 2 1/2" Discharge	3	230	10	3.5	60	11"	751.34
3721621-1V	2 1/2" Intake - 2 1/2" Discharge	4	230	12	4.4	60	11"	806.62
3722021-0V	2 1/2" Intake - 2 1/2" Discharge	5	230	16.4	4.8	60	11"	832.72

1-Speed Viper 56-Frame Pumps

Part No.	Description	HP	Volts	Amps	Hz	Dimension "A"	List (US \$)
3711621-0V	2 1/2" Intake - 2 1/2" Discharge	4	230	12	60	11"	702.46
3712021-0V	2 1/2" Intake - 2 1/2" Discharge	5	230	16.4	60	11"	702.46




**FEATURES:**

- Executive wet end designed specifically for 56-frame motors
- Two double shielded ball bearings with moisture resistant grease for quieter operation and longer life
- Two speed motors have four sets of insulated windings for increased efficiency
- 56-frame motor for added strength, cooler operating temperature and longer motor life
- Large 2 ½" intake for improved flow performance and reduced noise
- Large 6 ½" diameter wet end for higher head pressure
- Split capacitor, (start and run) for less energy consumption
- Thermally protected to extend life expectancy of motor
- Highly versatile wet end can be rotated every 90°
- Viton seals
- Three year warranty on motor and wet end



For replacement parts, see page 269

Call for available cords and plugs.

PRESSURE VERSUS FLOW RATE**2-Speed Executive 56-Frame Pumps**

Part No.	Description	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	List (US \$)
3720821-1D	2" Intake - 2" Discharge	2	230	8.0	3.0	60	8.875"	623.16
3720821-13	2 ½" Intake - 2" Discharge	2	230	8.0	3.0	60	8.875"	623.16
3721221-1D	2" Intake - 2" Discharge	3	230	10.0	3.4	60	9.875"	665.84
3721221-13	2 ½" Intake - 2" Discharge	3	230	10.0	3.4	60	9.875"	665.84
3721621-1D	2" Intake - 2" Discharge	4	230	12.0	4.4	60	10.375"	725.96
3721621-13	2 ½" Intake - 2" Discharge	4	230	12.0	4.4	60	10.375"	725.96
3722021-1D	2" Intake - 2" Discharge	5	230	16.4	4.8	60	10.375"	824.36
3722021-13	2 ½" Intake - 2" Discharge	5	230	16.4	4.8	60	10.375"	824.36

1-Speed Executive 56-Frame Pumps

Part No.	Description	HP	Volts	Amps	Hz	Dimension "A"	List (US \$)
3710821-1D	2" Intake - 2" Discharge	2	230	8.0	60	8.875"	623.16
3710821-13	2 ½" Intake - 2" Discharge	2	230	8.0	60	8.875"	623.16
3711221-1D	2" Intake - 2" Discharge	3	230	10.0	60	9.875"	665.84
3711221-13	2 ½" Intake - 2" Discharge	3	230	10.0	60	9.875"	665.84
3711621-1D	2" Intake - 2" Discharge	4	230	12.0	60	10.375"	690.73
3711621-13	2 ½" Intake - 2" Discharge	4	230	12.0	60	10.375"	710.92
3712021-1D	2" Intake - 2" Discharge	5	230	16.4	60	10.375"	710.92
3712021-13	2 ½" Intake - 2" Discharge	5	230	16.4	60	10.375"	720.28




Spa Pumps / Executive - 48-Frame

FEATURES:




- Executive wet end designed specifically for 48-frame motors
- Large 2 1/2" intake for improved flow performance and reduced noise
- Large 6 1/2" diameter wet end for higher head pressure
- Thermally protected to extend life expectancy of motor
- Highly versatile wet end can be rotated every 90°
- Viton seals
- 2-year warranty on motor, 3-year on wet end

Call for available cords and plugs.



For replacement parts, see page 269.

PRESSURE VERSUS FLOW RATE



2-Speed Executive 48-Frame Pumps

Part No.	Description	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	List (US \$)
3420410-1A	2" Intake - 2" Discharge	1.0	115	11.0	2.9	60	9.73"	535.76
3420410-13	2 1/2" Intake - 2" Discharge	1.0	115	11.0	2.9	60	9.73"	535.76
3420610-1A	2" Intake - 2" Discharge	1.5	115	16.4	4.4	60	10.48"	585.03
3420610-13	2 1/2" Intake - 2" Discharge	1.5	115	16.4	4.4	60	10.48"	585.03
3420620-1A	2" Intake - 2" Discharge	1.5	230	8.0	2.6	60	10.45"	585.03
3420620-13	2 1/2" Intake - 2" Discharge	1.5	230	8.0	2.6	60	10.45"	585.03
3420820-1A	2" Intake - 2" Discharge	2.0	230	10.5	2.6	60	11.0"	619.88
3420820-13	2 1/2" Intake - 2" Discharge	2.0	230	10.5	2.6	60	11.0"	619.88
3421221-1A	2" Intake - 2" Discharge	3.0	230	8.5	2.8	60	11.0"	641.46
3421221-13	2 1/2" Intake - 2" Discharge	3.0	230	8.5	2.8	60	11.0"	641.46
3421821-1A	2" Intake - 2" Discharge	4.5	230	12.0	3.5	60	11.98"	723.16
3421821-13	2 1/2" Intake - 2" Discharge	4.5	230	12.0	3.5	60	11.98"	723.16

1-Speed Executive 48-Frame Pumps

Part No.	Description	HP	Volts	Amps	Hz	Dimension "A"	List (US \$)
3410410-1A	2" Intake - 2" Discharge	1.0	115	12	60	9.23"	463.57
3410610-1A	2" Intake - 2" Discharge	1.5	115	17	60	9.78"	498.16
3410830-1A	2" Intake - 2" Discharge	2.0	115/230	20/10	60	10.98"	570.47
3410830-13	2 1/2" Intake - 2" Discharge	2.0	115/230	20/10	60	10.98"	570.47
3411621-1A	2" Intake - 2" Discharge	4.0	230	12	60	11.18"	670.11
3411621-13	2 1/2" Intake - 2" Discharge	4.0	230	12	60	11.18"	670.11

**EXECUTIVE WET END FEATURES:**

- High performance Executive wet end specifically designed for 56-frame motors
- Large 2" intake for improved flow performance and noise reduction
- Large 6" diameter wet end for higher head pressure
- Highly versatile wet end can be rotated every 90°

VIPER WET END FEATURES:



- Ultra high performance Viper wet end specifically designed for 56-frame motors
- Extra large 2 ½" intake for improved flow performance and noise reduction
- Large 8" diameter wet end to move higher volumes of water at lower pressures
- Highly versatile wet end can be rotated every 90°

MOTOR FEATURES:

- Water repellent Italian made EMG motor
- 56-frame motor for added strength, cooler operating temperature and longer motor life
- Two double shielded ball bearings with moisture resistant grease for quieter operation and longer life
- Two-speed motors have four sets of insulated windings for increased efficiency
- Split capacitor, (start and run) for less energy consumption
- Thermally protected to extend life expectancy of motor
- IPX5 construction

PUMP FEATURES:

- TUV listed
- TUV J and J mini plug (*optional*)
- Viton seals
- Three year warranty

**PRESSURE VERSUS FLOW RATE****PRESSURE VERSUS FLOW RATE - VIPER EURO PERFORMANCE CHART****Executive Euro 50 Hz Pumps**

Part No.	Description	HP	Speed	Hz	Volts	Amps	List (US \$)
3R10850-0D	Executive Euro Pump	2 HP	1-Speed	50	230	8.7	628.93
3R11250-0D	Executive Euro Pump	3 HP	1-Speed	50	230	12.7	637.79
3R20850-0D	Executive Euro Pump	2 HP	2-Speed	50	230	9.3 / 1.8	696.94
3R21050-0D	Executive Euro Pump	2 ½ HP	2-Speed	50	230	10.3 / 1.8	828.54

Viper Euro 50 Hz Pumps

Part No.	Description	HP	Speed	Hz	Volts	Amps	List (US \$)
3R11250-0V	Viper Euro Pump	3 HP	1-Speed	50	230	12.3 / 12.8	657.37
3R21050-0V	Viper Euro Pump	2 ½ HP	2-Speed	50	230	11.4	848.14



Spa Pumps / EX 2

FEATURES:


- True continuous rated horsepower of 1.5, 2.0, 2.5 and 3.0 HP
- 48-Frame or 56-Frame, Single or Dual Speed (energy saving)
- Use more jets per pump
- Same physical size as Aqua-Flo XP2, XP2e (fits within the same volume envelope)
- Can be used as substitute or retrofit to Aqua-Flo model XP2 or XP2e pumps and similar pumps and wet ends offered by other domestic and foreign suppliers
- Made in USA from highest quality materials with UL and CUL certifications
- CE and TUV certification on export pumps to ensure product performance for you and your customers
- Equipped with the highest quality Viton Seals
- Equipped with high efficiency electrical motors, custom designed for Spa applications



For replacement parts, see page 270.

Call for available cords and plugs.

EX2 Performance Chart



2-Speed EX 2 48-Frame Pumps

Part No.	Description	HP - Full	Volts	Amps High Speed	Amps Low Speed	Hz	List (US \$)
3420610-1U	2" Intake - 2" Discharge	1.5	115	13.5	4.7	60	585.03
3420820-1U	2" Intake - 2" Discharge	2	230	10.5	2.6	60	619.88
3421021-1U	2" Intake - 2" Discharge	2	230	9.0	2.8	60	569.06
3421221-1U	2" Intake - 2" Discharge	2	230	8.5	2.8	60	641.46
3421020-1U	2" Intake - 2" Discharge	2.5	230	11.0	3.3	60	665.00
3421821-1U	2" Intake - 2" Discharge	3	230	12.0	3.5	60	723.16

1-Speed EX 2 48-Frame Pumps

Part No.	Description	HP - Full	Volts	Amps	Hz	List (US \$)
3410610-1U	2" Intake - 2" Discharge	1.5	115	17.0	60	498.16
3411020-1U	2" Intake - 2" Discharge	2.5	230	10.0	60	667.50
3411621-1U	2" Intake - 2" Discharge	3.0	230	12.0	60	670.11

2-Speed EX 2 56-Frame Pumps

Part No.	Description	HP - Full	Volts	Amps High Speed	Amps Low Speed	Hz	List (US \$)
3720821-1W	2" Intake - 2" Discharge	2	230	8.0	3.0	60	623.16
3721621-1W	2" Intake - 2" Discharge	3.0	230	12.0	4.4	60	725.89
3M21621-1W	2" Intake - 2" Discharge	3.0	230	12.0	4.4	60	725.89

1-Speed EX 2 56-Frame Pumps


Part No.	Description	HP - Full	Volts	Amps	Hz	List (US \$)
3711621-1W	2" Intake - 2" Discharge	3.0	230	12.0	60	697.50

FEATURES:

- High volume side discharge efficiency
- 60% more efficient than our center discharge pumps
- 2" intake and discharge
- Wet end can be rotated for easy installation
- Available in 1 to 4 HP, 1 or 2 speed
- Large 6 1/2" diameter wet end for higher head pressure
- Viton Seals
- 18 month warranty




For replacement parts, see page 274.



Hi-Flo II

Hi-Flo II Performance Curves



2-Speed Hi-Flo II Side Discharge 48-Frame Pumps

Part No.	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	List (US \$)
3420410-H10	1.0	115	11.0	2.9	60	14.73"	535.76
3420610-H10	1.5	115	16.4	4.4	60	15.48"	585.03
3420620-H10	1.5	230	8.0	2.6	60	15.48"	585.03
3420820-H10	2.0	230	10.5	2.6	60	16.00"	619.88

1-Speed Hi-Flo II Side Discharge 48-Frame Pumps

Part No.	HP	Volts	Amps	Hz	Dimension "A"	List (US \$)
3410410-H10	1.0	115	12.0	60	14.23"	462.56
3410612-H10	1.5	115	17.0	60	14.78"	462.56
3410830-H10	2.0	115/230	20-10	60	14.98"	570.47

2-Speed Hi-Flo Side Discharge 48-Frame Pumps (Old Style)

Part No.	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	List (US \$)
3420410-10	1.0	115	11.0	2.9	60	14.73"	535.76
3420610-10	1.5	115	16.4	4.4	60	15.48"	585.03
3420620-10	1.5	230	8.0	2.6	60	15.48"	585.03
3420820-10	2.0	230	10.5	2.6	60	16.00"	619.88

1-Speed Hi-Flo Side Discharge 48-Frame Pumps (Old Style)

Part No.	HP	Volts	Amps	Hz	Dimension "A"	List (US \$)
3410410-10	1.0	115	12.0	60	14.23"	462.56
3410612-10	1.5	115	17.0	60	14.78"	462.56
3410830-10	2.0	115/230	20-10	60	14.98"	570.47



Spa Pumps / Spa Flo II - 48-Frame



FEATURES:

- 48-frame proven design
- Designed for direct replacement in most spas
- Viton seals
- 1 1/2" Intake and Discharge



For replacement parts, see page 273.

PRESSURE VERSUS FLOW RATE



2-Speed Spa Flo II 48-Frame Pumps

Part No.	HP	Volts	Hz	Case Quantity	List (US \$)
3420410-S0Z	1	115	60	1	535.76
3420610-S0Z	1 1/2	115	60	1	585.03
3420820-S0Z	2	230	60	1	619.88

Sold without cords. Please call for available cords.

1-Speed Spa Flo II 48-Frame Pumps

Part No.	HP	Volts	Hz	Case Quantity	List (US \$)
3410410-S0Z	1	115	60	1	463.00
3410610-S0Z	1 1/2	115	60	--	498.16
3410830-S0Z	2	115 / 230	60	1	570.47

Sold without cords. Please call for available cords.




FEATURES:

- Reliable center discharge performance
- 1 1/2" intake and discharge
- Wet end can be rotated for easy installation
- Available in 3/4 to 2 HP, 1 or 2 speed
- Viton Seals
- 18 month warranty



For replacement parts, see page 276.

Center Discharge e-Series Pumps



2-Speed Center Discharge Spa Pumps

Part No.	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	List (US \$)
3420310-15	3/4	115	8.8	2.6	60	15.00"	511.82
3420410-15	1.0	115	11.0	2.9	60	15.00"	535.76
3420610-15	1.5	115	16.4	4.4	60	15.75"	585.03
3420620-15	1.5	230	8.0	2.6	60	15.73"	585.03
3420820-15	2.0	230	10.5	2.6	60	16.28"	619.88

1-Speed Center Discharge Spa Pumps

Part No.	HP	Volts	Amps	Hz	Dimension "A"	List (US \$)
3410310-15	3/4	115	9.8	60	14.00"	443.16
3410410-15	1.0	115	12.0	60	14.50"	463.00
3410610-15	1.5	115	17.0	60	15.05"	498.16
3410830-15	2.0	115/230	20-10	60	16.26"	570.47






FEATURES:

- 24-hour circulation
- 48-frame proven design
- Side discharge for optimum flow
- Multiple union assemblies available
- Delivers 40 GPM
- 1/15 HP
- Only 1.3 Amps
- Viton seals
- 1 1/2" Intake and Discharge
- One year warranty

**NOW in
50/60 Hz!**



PRESSURE VS FLOW RATE



Iron Might 1-Speed 48-Frame Circulating Pumps

Part No.	Volts	Hz	Case Quantity	List (US \$)
3J10070-0E	230	50/60	1	355.51
3410030-1E	115	60	1	355.51

Leaf Trap (sold separately)

Part No.	Description	Case Quantity	List (US \$)
310-5400	Leaf Trap – 1 1/2" Union x 1 1/2" FPT	5	84.22



Pond Pump - Iron Might with Trap




Part No.	Description	List (US \$)
3410030-1E77	1/15 HP - 115V - 6 ft. NEMA Cord	450.33

FEATURES:

- High volume side discharge efficiency
- 60% more efficient than our center discharge pumps
- Side discharge for optimum flow
- 1" union or 1" barb
- Wet end can be rotated for easy installation
- 1/16 HP
- Large 6 1/2" diameter wet end for higher head pressure
- One year warranty



PRESSURE VERSUS FLOW RATE



Tiny Might Circulating Pumps

Part No.	Description	HP	Volts	Amps	Hz	List (US \$)
3312610-14	1" Union x 1" Union	1/16	115	0.8	60	331.38
3312620-14	1" Union x 1" Union	1/16	230	0.4	50/60	331.38
3312610-19	1" Barb x 1" Barb	1/16	115	0.8	60	331.38
3312620-19	1" Barb x 1" Barb	1/16	230	0.4	50/60	331.38



pre-2012
PARTS

Spa Pumps / Wet Ends



310-0700

Spa Flo Wet Ends

Part No.	Rating	Case Quantity	List (US \$)
310-0700	1 HP	--	98.76
310-0800	1 ½ HP	15	98.76
310-0810	2 HP	15	98.76



310-0140

2 ½" Viper Wet Ends

Part No.	Motor	Rating	Case Quantity	List (US \$)
310-0140	56-Frame	4 HP	8	118.66

EX2 Wet Ends

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-2450	48-Frame	1 ½ HP	8	118.66
310-2460	48-Frame	2 HP	8	118.66
310-2480	48-Frame	3 HP	8	118.66

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-2360	56-Frame	1 ½ HP	15	118.66
310-2370	56-Frame	2 HP	15	118.66
310-2380	56-Frame	3 HP	15	118.66
310-2390	56-Frame	2 ½ HP	15	118.66



310-2360

2" Executive Wet Ends

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-1870	48-Frame	1 HP	8	118.66
310-1880	48-Frame	1 ½ HP	8	118.66
310-1890	48-Frame	2 HP	8	118.66
310-1900	48-Frame	3 HP	8	118.66
310-1910	48-Frame	4 HP	8	118.66
310-1920	48-Frame	4 ½ HP	8	118.66
310-1930	48-Frame	5 HP	8	118.66

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-1710	56-Frame	1 HP	8	118.66
310-1720	56-Frame	2 HP	8	118.66
310-1730	56-Frame	3 HP	8	118.66
310-1740	56-Frame	4 HP	8	118.66
310-1750	56-Frame	5 HP	8	118.66



310-1870

2 ½" Executive Wet Ends

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-1800	48-Frame	1 HP	8	118.66
310-1810	48-Frame	1 ½ HP	8	118.66
310-1820	48-Frame	2 HP	8	118.66
310-1840	48-Frame	3 HP	8	118.66
310-1860	48-Frame	4 HP	8	118.66
310-1850	48-Frame	4 ½ HP	8	118.66
310-1830	48-Frame	5 HP	8	118.66

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-1460	56-Frame	1 HP	8	118.66
310-1480	56-Frame	2 HP	8	118.66
310-1500	56-Frame	3 HP	8	118.66
310-1440	56-Frame	4 HP	8	118.66
310-1510	56-Frame	5 HP	8	118.66



310-1800

2" Hi-Flo Side Discharge Wet Ends

Part No.	Rating	Case Qty.	List (US \$)
310-1130SD	1 HP	15	118.66
310-1140SD	1 ½ HP	15	118.66
310-1141SD	2 HP	15	118.66
310-1150SD	3 HP	15	118.66
310-1160SD	4 HP	15	118.66



310-1130SD

E-Series Center Discharge Wet Ends

Part No.	Rating	Case Qty.	List (US \$)
310-8200	½ HP	12	114.08
310-8210	¾ HP	12	114.08
310-8220	1 HP	12	114.08
310-8230	1.5 HP	12	114.08
310-8240	2 HP	12	114.08



310-8210

Note: E-Series Center Discharge Wet Ends are the same size as the Standard Series Center Discharge Wet Ends. See Page 276 Series Center Discharge.

**310-7700SD****2" Hi-Flo II Side Discharge Wet Ends**

Part No.	Rating	Case Qty.	List (US \$)
310-7700SD	1/2 HP	15	118.66
310-7710SD	3/4 HP	15	118.66
310-7720SD	1 HP	15	118.66
310-7730SD	1 1/2 HP	15	118.66
310-7740SD	2 HP	15	118.66

**310-7800****Spa Flo II Wet End**


Part No.	Rating	Case Qty.	List (US \$)
310-7800	1/2 HP	--	98.76
310-7810	3/4 HP	15	98.76
310-7820	1 HP	15	98.76
310-7830	1 1/2 HP	15	118.66
310-7840	2 HP	15	118.66

**310-7890****Iron Might II Circulating Wet Ends**


Part No.	Rating	Case Qty.	List (US \$)
310-7890	1/8 HP	15	98.76



Spa Pumps / Equipment Bases



672-1000




672-1010




672-1060

Equipment Bases

Part No.	Description	Case Quantity	List (US \$)
672-1000	1" x 15 1/4" x 26 1/4"	100	39.66
672-1010	1" x 14 1/2" x 15"	200	32.55
672-1060	1" x 8 1/2" x 15 1/2"	16	15.60



672-1030



672-7250



672-1320



672-1100



672-1020



319-0019

48-Frame Motor Bases

Part No.	Description	Case Quantity	List (US \$)
672-1030	1/2" Thick Base	170	9.90
672-7250	Metal Pump Base Assembly - 7 1/2" x 5 5/16"	25	14.63
672-1320	Rubber EMG Euro Motor Base (sold as a pair)	80	4.33
672-1100	3/4" Thick Base with Tabs - PVC Flex	100	15.44
672-1020	3/4" Thick Base	170	12.74
672-1080	3/4" Thick Base - PVC Flex	50	12.74
319-0019	Self-Aligning Rubber Motor Base	100	5.77




672-1160

FEATURES:

- Fits most domestic and European pump motors (One size fits all!)
- Rubber isolation boots – isolate motor vibration
- EZ front load lock system – allows for easy installation and servicing
- Made of durable impact resistant Polypropylene material

Universal Floating 9" x 9" Pump Base

Part No.	Description	Case Quantity	List (US \$)
672-1160	Universal Floating 9" x 9" Pump Base Assembly	25	14.63



Slice Valves

Part No.	Description	List (US \$)
880-1500	1 1/2" Slice Valve - 2" SPG / 1 1/2" S x 1 1/2" Spigot	17.01
880-1510	1 1/2" Slice Valve - 1 1/2" Spigot x 1 1/2" Spigot	17.01
880-1530	1 1/2" MIP Slice Valve - 1 1/2" Hose	21.25
880-2020	2" Slice Valve - 2" S x 2" S	21.25
880-2010	2" Slice Valve - 2" Spigot x 2" Spigot	21.25
880-2000	2" Slice Valve - 2" Spigot x 2" S	32.85
880-2500	2 1/2" Slice Valve - 2 1/2" S x 2 1/2" Spigot	32.85
880-2520	2 1/2" Slice Valve - 2 1/2" S x 2 1/2" S	0.77
880-1599	Clip for 1 1/2" Slice Valve	0.99
880-2099	Clip for 2" Slice Valve	1.15
880-2599	Clip for 2 1/2" Slice Valve	1.12

FEATURES:

- Adjustable flow control
- Easy to adjust in tight places
- Requires less overhead space to turn on/off compared to slice valve
- 100% shut off
- No metal parts in contact with the water for a non-corrosive gate valve
- Waterway manufactures all TruSeal Gate Valves in the U.S.A.




Gate Valves

Part No.	Description	Color	Case Quantity	List (US \$)
600-2370	Gate Valve - 2" S x 2" S	Clear	20	29.42
600-2380	Gate Valve - 2" S x 2" Spigot	Clear	20	29.42
600-2300	Gate Valve - 2 1/2" S x 2 1/2" Spigot	Clear	18	30.86



Valves / Check Valves and U-Bends



Check Valves

Part No.	Description	Case Quantity	List (US \$)
600-8140	Air Check Valve - ¼ lb. Spring - 1 ½" S x 1 ½" S	50	18.23
600-8160	Air Check Valve - ¼ lb. Spring - 2" Spigot x 2" Spigot	50	19.14
600-8150	Water Bypass Valve - 8 lb. Spring - 1 ½" S x 1 ½" S (standard color is black)	50	25.27
550-6810	Flapper Check Valve Body - 1.25 - 2 lbs. Spring - 2" S x 2" S	72	13.09
550-6800	Flapper Check Valve Body - 2.5 - 8 lbs. Spring - 2" S x 2" S	72	13.09
600-4000	Flapper Check Valve - Tee - 1" S x 1" S (standard color is white)	80	15.66
600-5000	Check Valve Assembly - Tee - 1" S x 1" S	140	9.18
600-2900	1 ½" Blower Check Valve Assy	45	6.90
670-1100	1" Check Valve with Flapper Assembly		4.87
670-2270	½" S Check Valve with Cap/Foam	125	8.35

NEW!



U-Bends

Part No.	Description	Case Quantity	List (US \$)
429-4000	U-Bend - 1 ½" S x 1 ½" S	50	6.87
429-4030	U-Bend - 2" S x 2" S	40	10.22
400-4130	2" Sweep Vent Grate Assembly	12	10.66



400-1940



400-1950



400-1990

1" Pump Union Assemblies

Part No.	Description	Case Quantity	List (US \$)
400-1940	1" Union Nut with 3/4" RB Tailpiece and O-Ring	25	3.92
400-1950	1" Union Nut with 1/2" S Tailpiece and O-Ring	70	3.92
400-1960	1" Union Nut with 3/4" S Tailpiece and O-Ring	150	3.92
400-1970	1" Union Nut with 1" RB Tailpiece and O-Ring	40	3.92
400-1990	1" S Union Nut with 1" Slip Tailpiece and O-Ring	200	3.92



400-4060



400-2020



400-2010



400-4230



400-4240



400-9280

1 1/2" Pump Union Assemblies

Part No.	Description	Case Quantity	List (US \$)
400-4060	1 1/2" Union Nut with 1 1/2" S Tailpiece and O-Ring	200	4.72
400-5640	1 1/2" Union Nut with 1 1/2" S Tailpiece and O-Ring with Gasket	200	5.00
400-2020	1 1/2" Union Nut with 1 1/2" Spigot / 1" S Tailpiece and O-Ring	200	5.89
400-2010	1 1/2" Union Nut with 50mm S Tailpiece and O-Ring	35	5.89
400-4230	1 1/2" Union Nut with 1 1/2" FPT Tailpiece and O-Ring	200	8.83
400-4510	1 1/2" Union Nut with 1 1/2" FPT Tailpiece and O-Ring with Gasket	200	9.12
400-4240	1 1/2" Union Nut with 1 1/2" Spigot Tailpiece and O-Ring	50	7.36
400-9280	1 1/2" Union Nut with 1 1/2" / 1 1/4" Hose Adapter and O-Ring	25	4.95



Unions / Pump Union Assemblies



400-5570




400-9240



400-5800



400-5660



400-4300



400-9230

2" Pump Union Assemblies

Part No.	Description	Case Quantity	List (US \$)
400-5570	2" Union Nut with 2" S Tailpiece and O-Ring	140	7.08
400-5670	2" Union Nut with 2" S Tailpiece and O-Ring with Gasket	140	7.36
400-9240	2" Union Nut with 1 1/2" Hose Adapter and O-Ring	30	10.20
400-5800	2" Union Nut with 2" S Sweep Ell - 90° Tailpiece	40	9.18
400-5660	2" Union Nut with 1 1/2" FPT Nut Tailpiece and O-Ring	72	12.74
400-4300	2" Union Nut with 2" Spigot 45° Tailpiece and O-Ring	70	7.84
400-9230	2" Union Nut with 2" Spigot / 1 1/2" S Tailpiece and O-Ring	40	7.08
400-5680	2" Union Nut with 2" Spigot / 1 1/2" S Tailpiece and O-Ring with Gasket	140	7.36



400-5990



400-6010




400-4481-CPVC

2 1/2" Pump Union Assemblies


Part No.	Description	Case Quantity	List (US \$)
400-5990	2 1/2" Union Nut with 2" S Tailpiece and O-Ring	100	9.98
400-6010	2 1/2" Union Nut with 2 1/2" S Tailpiece and O-Ring	72	9.98
400-6021B	2 1/2" Union Nut x 2 1/2" S - Black (2 included with SVL56 pump)	72	11.21
400-5971B	2 1/2" Union Nut x 2" S - Black (2 included with SVL56 pump)	72	11.21

Swivel Union Assembly


Part No.	Description	Case Weight	Case Quantity	List (US \$)
400-4481-CPVC	Swivel Union Assembly - 2" S x 2" Spigot	34.56 lbs.	45	25.87




400-2000




400-4000




400-4010




400-4020




400-4030



400-5530



400-5050



400-6000


Union Assemblies

Part No.	Description	Part A	Part B	Part C	Part D	Case Quantity	List (US \$)
400-2000	Union Assembly - 1" S x 1" S	415-2000	417-2010	417-2020	805-0123	60	7.58
400-4000	Union Assembly #1 - 1 1/2" S x 1 1/2" S	415-4000	417-4010	417-4000	805-0226	100	7.58
400-4010	Union Assembly - 1 1/2" S x 1 1/2" S - Short	415-4000	417-4020	417-4000	805-0226	50	10.62
400-4020	Union Assembly #3 - 1 1/2" S x 1 1/2" Spigot	415-4000	417-4030	417-4000	805-0226	25	10.62
400-4030	Union Assembly - 1 1/2" MPT x 1 1/2" S	415-4000	417-4060	417-4000	805-0226	25	10.62
400-5530	Union Assembly - 2" Spigot / 1 1/2" S x 1 1/2" S	415-4000	417-4000	417-5080	805-0226	40	10.65
400-5050	Union Assembly #13 - 2" S x 2" S	415-5000	417-5040	417-5120	805-0229	25	12.14
400-6000	Union Assembly - 2 1/2" S x 2 1/2" S	415-6000	417-6010	417-6000	805-0232	36	15.60

Standard color is white. All fittings meet or exceed A.S.T.M. Schedule 40 standards.




Unions / 1 1/2" Union Components



1 1/2" Union Components

Part No.	Description	Case Quantity	List (US \$)
415-4000	1 1/2" Union Nut	250	2.32
417-4070	1 1/2" Flange x 1 1/2" FPT Tailpiece	100	2.32
417-4000	1 1/2" Flange x 1 1/2" S Tailpiece	300	2.59
417-5500	1 1/2" Flange x 50mm S Tailpiece	100	2.32
417-2000	1 1/2" Flange x 1 1/2" Spigot / 1" S Tailpiece	50	5.55
417-4100	1 1/2" Flange x 1 1/2" Spigot	75	4.46
417-4030	1 1/2" Buttress Thread x 1 1/2" Spigot Tailpiece	230	2.32
417-4060	1 1/2" Buttress Thread x 1 1/2" MPT Tailpiece	200	2.42
417-4080	1 1/2" Flange x 1 1/2" S Tailpiece - Short	150	2.10
417-6040	1 1/2" Flange x 1 1/2" / 1 1/4" Hose Adapter Fitting	75	2.03
417-4010	1 1/2" Buttress Thread x 1 1/2" S Tailpiece	250	2.60
417-6020	1 1/2" Flange x 1 1/2" S Hose Adapter Fitting	50	2.52
417-4020	1 1/2" Buttress Thread x 1 1/2" S - Short	50	2.60
417-5080	1 1/2" Buttress Thread x 1 1/2" S x 2" Spigot Tailpiece	75	3.03
417-4110	1 1/2" Buttress x 1 1/2" S - Short	150	4.06
711-4000	1 1/2" Union Gasket	500	0.58
805-0226	O-Ring - 1 1/2" Tailpiece	100	0.56



2" and 2 1/2" Union Components

Part No.	Description	Case Quantity	List (US \$)
415-5000	2" Union Nut	180	3.53
417-5120	2" Flange x 2" S Tailpiece	50	3.68
417-5020	2" Flange x 2" Spigot / 1 1/2" S Tailpiece	100	4.09
417-5130	2" Flange x 1 1/2" FPT Nut Tailpiece	140	3.22
417-6050	2" Flange x 1 1/2" / 1 1/4" Hose Adapter Fitting	200	3.40
417-6030	2" Flange x 1 1/2" Hose Adapter Fitting	25	3.11
417-5260	2" Buttress Thread x 2" Spigot / 1 1/2" S Tailpiece	150	4.09
417-4220	2" Flange x 2" MPT	50	7.19
417-5090	2" Flange Thread x 1 1/2" MPT Tailpiece	25	4.09
417-5040	2" Buttress Thread x 2" S Tailpiece	150	2.85
805-0145	O-Ring – 2" Heater Tailpiece	100	0.56
805-0229	2" Pump Union (thick) O-ring	100	0.67
711-4010	2" Flat Union Gasket	500	0.68
711-4020	2" x 1/4" Thick Union Gasket	500	1.22
711-4030	2" Ribbed O-ring Union Gasket	500	0.74
415-6000	2 1/2" Union Nut	50	6.83
417-6000	2 1/2" Flange x 2 1/2" Socket	50	4.37
417-5970	2 1/2" Flange x 2" Socket	50	4.09
417-6010	2 1/2" Buttress Thread x 2 1/2" Socket	100	4.71
805-0232	O-Ring – 2 1/2" Heater Tailpiece	100	1.21



Unions / Heater Union Components





1 1/2" Heater Union Nuts

Part No.	Description	Case Quantity	List (US \$)
400-5461	1 1/2" Heater Split Nut - Long Assembly - with Screws	75	4.94
400-5491	1 1/2" Heater Split Nut - with Screws	250	3.04
415-4021	1 1/2" Heater Split Nut - without Screws	250	1.94



1 1/2" Heater Union Tailpieces

Part No.	Description	Case Quantity	List (US \$)
417-4090	1 1/2" Buttress Thread x 1 1/2" S Tailpiece	100	1.70
417-4050	1 1/2" Buttress Thread x 1 1/2" Spigot Tailpiece	75	1.70



1 1/2" Heater Union O-Ring Gaskets

Part No.	Description	Case Quantity	List (US \$)
805-0224	O-Ring - 1 1/2" Heater Tailpiece	500	0.56
711-4000	Gasket - 1 1/2" Heater Tailpiece	500	0.58
711-4050	O-Ring Gasket - 1 1/2" Heater Tailpiece	500	0.65



400-5161

2" Heater Union Nuts

Part No.	Description	Case Quantity	List (US \$)
400-5161	2" Heater Split Nut - with Screws	100	2.75
415-5161	2" Heater Split Nut - without Screws	100	2.47



417-2090



417-5060



417-5140



413-2160




417-5180




417-5160

2" and 2 1/2" Heater Union Tailpieces

Part No.	Description	Case Quantity	List (US \$)
417-2090	2" Buttress Thread x 1 1/2" S Tailpiece	50	2.27
417-5050	2" Buttress Thread x 2" S Tailpiece	150	2.27
417-5157	2" Buttress Thread x 63mm S Tailpiece	50	2.27
417-5060	2" Buttress Thread x 2" Spigot Tailpiece	45	2.27
417-5160	2" Buttress Thread x 2" Spigot / 1 1/2" S Tailpiece	45	4.80
417-5140	2" Buttress Thread x 2" MPT Tailpiece	45	3.40
413-2160	Heater Flow Switch Tee - 2" Buttress Thread x 2" Spigot x 1/2" FPT	25	12.74
417-5180	2" Buttress Thread x 3/4" S / 1" Spigot	100	2.59
417-5980	2 1/2" Heater Buttress Tailpiece	100	4.71



711-4030


711-4010 /
711-4020

2" and 2 1/2" Heater Union O-Rings and Gaskets


Part No.	Description	Case Quantity	List (US \$)
711-4020	1/4" Thick Gasket - 2" Heater Tailpiece	500	1.22
711-4010	Gasket - 2" Heater Tailpiece	500	0.68
805-0229	O-Ring - 2" Heater	500	0.67
711-4030	2" Heater Tailpiece Gasket - with O-Ring Rib	500	0.74
711-6020	2 1/2" Heater Union Gasket	500	0.56



Ells, Tees, & Wyees / Sweep Ells



Sweep Ells					
Part No.	Description	NSF Approved	Case Weight	Case Quantity	List (US \$)
411-9100	1 1/2" Spigot x 1 1/2" S	x	7.15 lbs.	25	4.30
411-9110	1 1/2" S x 1 1/2" S	x	6.65 lbs.	25	4.30
411-9120	2" Spigot x 2" S	x	31.55 lbs.	70	4.83
411-9130	2" S x 2" S	x	27.89 lbs.	60	4.83
411-9140	2 1/2" Spigot x 2 1/2" S	x	26.4 lbs.	30	6.87
411-9150	2 1/2" S x 2 1/2" S	x	26.9 lbs.	30	6.87
411-9200	3" S x 3" S	x	25.59 lbs.	20	10.30
411-9210	3" S x 3" Spigot	x	25.59 lbs.	20	10.30




45° and 90° Ells

Part No.	Description	NSF Approved	Case Quantity	List (US \$)
411-2020	45° Street Ell – 1" S x 1" Spigot	x	50	3.65
411-4040	45° Street Ell – 1 1/2" S x 1 1/2" Spigot		140	4.86
411-5030	45° Street Ell – 2" S x 2" Spigot		90	6.07
411-2010	45° Ell – 1" S x 1" S	x	150	3.57
411-2200	45° Ell – 2" Spigot x 2" Spigot	x	80	6.40
411-2000	90° Street Ell – 1" S x 1" Spigot	x	50	2.50
411-4000	90° Street Ell – 1 1/2" S x 1 1/2" Spigot		130	4.23
411-5080	90° Street Ell – 2" S x 2" Spigot		70	5.43
411-4010	90° Ell – 1 1/2" S x 1 1/2" S	x	50	2.74
411-5040	90° Street Ell – 2" S x 2" Spigot x 1/2" FPT Left Side Outlet	x	60	10.61
411-5050	90° Street Ell – 2" S x 2" Spigot x 3/8" FPT Left Side Outlet		25	10.61
411-5550	90° Ell – 1 1/2" Spigot x 1 1/2" Spigot	x	50	4.23
411-2100	90° Ell – 2" Spigot x 2" Spigot	x	60	6.07
411-4050	90° Ell – 1 1/2" S x 1 1/2" Spigot x 1" S Side Outlet	x	25	6.07
411-5060	90° Street Ell – 1 1/2" S x 1 1/2" Spigot x 1/8" FPT Side Outlet	x	50	7.59
411-4080	90° Street Ell – 1 1/2" S x 1 1/2" Spigot x 1/2" S Outlet	x	50	5.91
411-9170	Ell – 2" S x 2" S x 3/4" SB		50	9.05
411-9180	Ell – 2 1/2" S x 2 1/2" S x 3/4" SB		30	11.60



Ells, Tees, & Wyes / Tees



Tees				
Part No.	Description	NSF Approved	Case Quantity	List (US \$)
413-2000	1" S x 1" S x 1 1/2" Spigot	x	50	4.54
413-2030	1" S x 1" S x 1 1/2" S	x	140	4.54
413-2060	Low Profile - 1" S x 1" S x 1 1/2" Spigot	x	50	5.17
413-2080	1" S x 1" S x 1" Spigot	x	100	2.46
413-5030	2" S x 1 1/2" S x 1" S	x	70	7.66
413-2140	2" S x 2" Spigot x 1/2" FPT		25	8.20
413-2180	2" Spigot x 2" S x 3/8" Air Bleed		75	7.94
413-2130	2" S x 2" Spigot x 3/4" FPT		75	8.20
413-2210	2" Spigot x 2" Spigot x 2" Spigot		40	7.63
413-1980	Reducer - 1/2" S x 1/2" S x 1" S		100	2.46
413-3010	Reducer - 1" S x 1" S x 1" Spigot / 3/4" S		50	2.88
413-4000	1 1/2" S x 1 1/2" S x 1 1/2" Spigot	x	90	6.27
413-2150	2" Spigot x 2" S x 1/2" S		75	6.10
413-2120	2" Spigot x 2" Spigot x 1" S	x	90	7.13
413-2090	1 1/4" S x 1 1/4" S x 1 1/2" Spigot		100	6.07



**GREAT FOR
SWIM SPAS**


Sanitary Tee

Part No.	Description	Case Quantity	List (US \$)
413-2320	2 1/2" x 2 1/2" x 2 1/2"	15	18.67



Cross Tee

Part No.	Description	NSF Approved	Case Quantity	List (US \$)
413-1770	Cross Tee - 1 1/2" S x 3/4" S x 3/4" S x 3/4" S	x	50	88.00



Tee Assemblies

Part No.	Description	Case Quantity	List (US \$)
400-4100	Tee Assembly with Relief Plug 1 1/2" S x 1 1/2" Spigot x 3/8" FPT	100	9.55
400-4260	Tee Assembly with Relief Plug 2" Spigot x 2" S x 3/8" FPT with O-Ring	70	9.91



Ells, Tees, & Wyes / Wyes and Manifold Wyes




Wyes

Part No.	Description	NSF Approved	Case Quantity	List (US \$)
413-1810	120° Wye - 3/4" S x 3/4" S x 3/4" S	x	50	6.07
413-4160	120° Wye - 1" S x 1" S x 1" S		100	6.07
413-4100	120° Wye - 1 1/2" S x 1 1/2" S x 1 1/2" S		70	9.14
413-5080	120° Wye - 2" S x 2" S x 2" S		50	12.74
413-5040	120° Wye - 2" S x 1 1/2" S x 1 1/2" S	x	50	12.74
413-4130	120° Wye - 1 1/2" S x 1" S x 1" S	x	140	8.20
413-1820	22 1/2° Wye - 3/4" S x 3/4" S x 3/4" S	x	50	5.69
413-2020	22 1/2° Wye - 1" S x 1" S x 1" S		120	6.07
413-4140	22 1/2° Wye - 1 1/2" S x 1" S x 1" S		90	6.92

FEATURES:

- Improves performance
- Saves plumbing cost
- Makes plumbing easier
- Available in two different sizes
- Made of fitting grade type 1 PVC
- Made in the USA



Manifold Wyes


Part No.	Description	Case Quantity	List (US \$)
672-8010	3/4" S x 1 1/2" S x 1 1/2" S	220	4.06
672-8020	1" S x 3/4" S x 3/4" S	180	4.06
672-8040	1 1/2" S x 1 1/2" S x 1 1/2" S	50	9.25
672-8000	2" S x 2" S x 2" S	30	12.71
672-8050	2 1/2" S x 2 1/2" S x 2 1/2" S	20	10.97




State-of-the-Art design provides for easy installation & service.

FEATURES:

- Improved 2" glue joints
- Manifolds available with 2, 4 or 6 ShurGrip ports
- Manifolds available in three styles:
 - SHR x SHR
 - SHR x SHR SCKT
 - SHR x DEAD END
- ShurGrip II Support Fittings also available



672-7700



672-7620

672-7610

672-7510

672-7500

672-7520

672-7720

672-7710

ShurGrip II Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-7500	Manifold, 2" SHR x 2" SHR x (2) 3/4" SB Ports	60	4.92
672-7600	Manifold, 2" SHR x 2" SHR SCKT x (2) 3/4" SB Ports	60	4.92
672-7700	Manifold, 2" SHR x DEAD END x (2) 3/4" SB Ports	60	4.92
672-7510	Manifold, 2" SHR x 2" SHR x (4) 3/4" SB Ports	40	5.14
672-7610	Manifold, 2" SHR x 2" SHR SCKT x (4) 3/4" SB Ports	40	5.14
672-7710	Manifold, 2" SHR x DEAD END x (4) 3/4" SB Ports	40	5.14
672-7520	Manifold, 2" SHR x 2" SHR x (6) 3/4" SB Ports	30	7.16
672-7620	Manifold, 2" SHR x 2" SHR SCKT x (6) 3/4" SB Ports	30	7.16
672-7720	Manifold, 2" SHR x DEAD END x (6) 3/4" SB Ports	30	7.16
400-7400	2" ShurGrip II Pump Union	70	7.55
413-7400	Tee 2" SHR x 2" SHR x 2" SHR	50	7.08
642-7400	2" SPG x 2" SHR Adapter	150	6.10
642-7410	2.5" SPG x 2" SHR Suction Straight Adapter	90	5.90
642-7420	2.5" SPG x 2" SHR Suction Ell Adapter	60	6.10



Spa Manifolds / ½" Manifolds



½" Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-7900	2" S x 2" S x (2) ½" S Ports	45	4.74
672-4250	2" Spigot x 2" S x (4) ½" S Ports	50	5.14
672-4570	1" S x (4) ½" S Ports	90	4.57
672-4580	1 ½" S x (4) ½" S Ports	75	4.57
672-4430	2" S x 2" S x (4) ½" S Ports	40	5.14
672-4380	1" S x (5) ½" S Ports	70	7.30
672-4120	1 ½" S x (6) ½" S Ports	50	11.78
672-4130	2" S x (6) ½" S Ports	90	11.78
672-4110	2" S x 2" S x (6) ½" S Ports	40	7.62
672-4630	1 ½" Spigot x 1 ½" S x (10) ½" S Ports with Plugs (4)	30	12.41



672-4280



672-7910



672-4200



672-4210



672-4400



672-4260



672-4270



672-4640

¾" Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-4280	1 ½" S x (2) ¾" S Ports	80	4.04
672-7910	2" S x 2" S x (2) ¾" S Ports	45	4.74
672-4190	1 ½" Spigot x 1 ½" S x (4) ¾" S Ports	70	4.86
672-4200	2" S x 2" Spigot x (4) ¾" S Ports	45	5.14
672-4670	1 ½" S x (4) ¾" S Ports	45	5.14
672-4180	1 ½" S x 1 ½" S x (4) ¾" S Ports	60	4.86
672-4210	2" S x 2" S x (4) ¾" S Ports	40	5.14
672-4400	2" S x (5) ¾" S Ports	50	11.37
672-4260	2" S x (6) ¾" S Ports	70	11.78
672-4270	2" S x 2" S x (6) ¾" S Ports	35	7.62
672-4640	1 ½" Spigot x 1 ½" S x (8) ¾" S Ports with Plugs (4)	20	12.41






Spa Manifolds / 1" Manifolds and 2-4-6 Air Manifold Systems



1" Manifolds			
Part No.	Description	Case Quantity	List (US \$)
672-4620	1 1/2" S x (4) 1" S Ports	25	9.14
672-4390	2" S x (5) 1" S Ports	45	11.37

FEATURES:

- Can be cut into multiple manifolds (2, 4, or 6 ports)
- Utilizes 3/4" and 3/8" clear vinyl tubing (less expensive than flex pipe)
- Allows for cleaner, easier plumbing
- Manifold comes complete with 1 plug



2-4-6 Air Manifold Systems			
Part No.	Description	Case Quantity	List (US \$)
672-6970	2-4-6 Manifold - (6) 3/4" SB x (6) 3/8" SB Ports	50	7.62
672-7190	2-4-6 Manifold - (6) 3/4" RB x (6) 3/8" SB Ports	50	7.62



672-4010



672-4030



672-4070



672-4100




672-0550



672-4690



672-5060



672-4370

3/8" Barb Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-4010	1" Spigot x (2) 3/8" Barbs	250	2.59
672-4020	1" S x (2) 3/8" Barbs	200	2.59
672-4030	1" Spigot x (4) 3/8" Barbs	250	2.83
672-4040	1" S x (4) 3/8" Barbs	250	2.83
672-4070	(4) 3/8" RB	500	2.61
672-4610	1 1/2" Spigot Blind x (4) 3/8" SB	150	4.33
672-4100	1" Spigot x (5) 3/8" Barbs	160	2.83
672-0550	(2) 1/2" S x (3) 3/8" SB	150	4.01
672-4700	1" Spigot x 1" Spigot x (6) 3/8" Barbs with Plugs (3)	50	6.92
672-4690	1/2" S x 1/2" S x (6) 3/8" Barbs with Plugs (2)	50	6.92
672-5060	1" S x 1" S x (6) 3/8" Barbs Assembly	100	5.39
672-4370	1" S x 1" Spigot x 1" S x (8) 3/8" Barbs with Plugs (4)	50	4.74



672-5930



672-5830









672-5960

Pancake Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-5900	Air Manifold Assembly, 1" Spg Ell x (6) 3/8" SB	100	5.39
672-5910	Air Manifold Assembly, 1" Spg Ell x (8) 3/8" SB	100	5.39
672-5920	Air Manifold Assembly, 1" Spg Ell x (10) 3/8" SB	100	5.39
672-5930	Air Manifold Assembly, 1" Spg Ell x (12) 3/8" SB	100	5.39
672-5800	Air Manifold Assembly, 1" Spg Straight x (6) 3/8" SB	100	5.39
672-5810	Air Manifold Assembly, 1" Spg Straight x (8) 3/8" SB	100	5.39
672-5820	Air Manifold Assembly, 1" Spg Straight x (10) 3/8" SB	100	5.39
672-5830	Air Manifold Assembly, 1" Spg Straight x (12) 3/8" SB	100	5.39
672-5060	Air Manifold Assembly, 1" S x 1" S x (6) 3/8" SB	100	5.39
672-5070	Air Manifold Assembly, 1" S x 1" S x (8) 3/8" SB	100	5.39
672-5080	Air Manifold Assembly, 1" S x 1" S x (10) 3/8" SB	100	5.39
672-5960	Air Manifold Assembly, 1" S x 1" S x (12) 3/8" SB	100	5.39




Spa Manifolds / 3/8" Barb Manifolds




3/8" Barb Manifolds


Part No.	Description	Case Quantity	List (US \$)
672-0400	1" S x 1" Spigot x (4) 3/8" RB Barbs	50	4.57
672-3900	1" S x 1" Spigot x (6) 3/8" RB Barbs	50	4.57
425-4000	1 1/2" Spigot x 1 1/2" S x (6) 3/8" RB Barbs	75	10.61
672-4340	1" S x 1" Spigot x (8) 3/8" RB Barbs	50	4.57
672-4097	32mm Spigot x 32mm S x 32mm Spigot x (8) 3/8" Ports	125	9.89
672-5070	1" S x 1" S x (8) 3/8" Barbs Assembly	100	5.39
672-4660	1 1/2" Spigot x 1 1/2" S x (10) 3/8" Barbs with Plugs (4)	50	14.17
672-5080	1" S x 1" S x (10) 3/8" Barbs Assembly	100	5.39
672-0410	1" S x 1" Spigot x (12) 3/8" RB Barbs	100	5.99
672-0420	1 1/2" S x 1 1/2" Spigot x (16) 3/8" SB Barbs	35	10.06



425-4020



413-4350



419-1000



425-4040



425-0210



425-5010



672-4350



715-1261



672-1440



672-1450




672-1430

3/8" Barb Adapters

Part No.	Description	Case Quantity	List (US \$)
425-4020	Reducer - 3/8" RB x 1/4" RB	3000	1.05
413-4350	Tee - 1" S x 1" S x 3/8" RB	100	2.55
419-1000	Coupler - 3/8" RB x 3/8" RB	2500	1.81
425-4040	90° Ell - 1" S x 3/8" RB	150	2.55
425-0210	1/2" Spigot x 3/8" RB	500	1.7
425-5010	1" Spigot x 3/8" RB	300	2.46
672-4350	3/8" B x 1/4" MPT	500	3.2
413-1201	3/8" B x 1/4" N.P.S.M.	500	3.03
413-1900	Tee - 3/8" B x 3/8" B x 3/8" B	500	1.61
425-1080	3/4" Spigot x 3/8" SB	20	1.93
672-1440	9/16" Triple "C" Tubing Holder	20	3.94
672-1450	9/16" x 3/4" Stacked Tubing Clip	20	0.59
672-1430	1 1/2" Manifold "C" Holder	20	1.03
413-1940	3/8" SB Wye	500	1.61
715-1261	1/4" Sb x 1/4" MPT Barb Adapter	500	3.11




Spa Manifolds / ShurGrip Manifolds



672-6970



672-4410



672-4490




672-4150



672-4140



672-4960



672-5200



672-4680




672-4910



672-7920




672-4940



672-7930



**SHUR-GRIP
COMPONENTS**



The Shur-Grip Plumbing System was specifically developed for the OEM Spa Manufacturing Industry. Shur-Grip components improve the glue joint characteristics yet maintain the quality of the flex hose at an affordable price. Look for the Shur-Grip symbol on compatible jet bodies and other speciality fittings.

ShurGrip Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-6970	(6) 3/4" SB x (6) 3/8" SB with Plug	50	8.51
672-4410	1" S x (4) 3/4" SB - Cluster Cap	50	8.00
672-4770	1 1/2" S x (4) 3/4" SB - Cluster Cap	100	8.00
672-4490	1 1/2" S x 1 1/2" S x (2) 3/4" SB	80	7.40
672-4150	1 1/2" S x 1 1/2" Spigot x (4) 3/4" SB	60	4.86
672-4140	1 1/2" S x 1 1/2" S x (4) 3/4" SB	60	4.86
672-4960	1 1/2" S x Dead End x (4) 3/4" SB	75	4.86
672-5200	1 1/2" S x 1 1/2" S x 1 1/2" S x (8) 3/4" SB	20	12.05
672-5240	1 1/2" S x 1 1/2" Spg x 6 3/4" SB	50	7.21
672-5250	1 1/2" S x 6 3/4" SB Dead End	50	7.16
672-5260	1 1/2" S x 1 1/2" S x 6 3/4" SB	45	7.21
672-4680	1 1/2" Spigot x 1 1/2" S x (10) 3/4" SB	35	13.48
672-4900	2" Spigot x 2" Spigot x (2) 3/4" SB	60	4.92
672-4910	2" S x 2" Spigot x (2) 3/4" SB	60	4.92
672-7920	2" S x 2" S x (2) 3/4" SB	60	4.92
672-7360	2" S x Dead End x (2) 3/4" SB	20	4.92
672-4920	2" Spigot x 2" Spigot x (4) 3/4" SB	45	5.14
672-4160	2" S x 2" Spigot x (4) 3/4" SB	45	5.14
672-4170	2" S x 2" S x (4) 3/4" SB	45	5.14
672-7370	2" S x Dead End x (4) 3/4" SB	20	5.14
672-4930	2" Spigot x 2" Spigot x (6) 3/4" SB	30	7.16
672-4940	2" S x 2" Spigot x (6) 3/4" SB	30	7.16
672-7930	2" S x 2" S x (6) 3/4" SB	30	7.16
672-7380	2" S x Dead End x (6) 3/4" SB	20	7.16
425-1090	1.5" S x 2 3/4" SB End Cap	100	3.96




672-7130




672-7100



672-7160




672-7140




672-7110




672-7170




672-7150



672-7120



672-7180



672-4980

¾" Ribbed Barb Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-7130	2" S x 2" Spigot x (2) ¾" RB	50	6.52
672-7100	2" S x 2" S x (2) ¾" RB	50	6.52
672-7160	2" S x Dead End x (2) ¾" RB	100	6.52
672-7140	2" S x 2" Spigot x (4) ¾" RB	40	7.84
672-7110	2" S x 2" S x (4) ¾" RB	40	7.84
672-7170	2" S x Dead End x (4) ¾" RB	50	7.84
672-7150	2" S x 2" Spigot x (6) ¾" RB	30	10.49
672-7120	2" S x 2" S x (6) ¾" RB	30	10.49
672-7180	2" S x Dead End x (6) ¾" RB	40	10.49
672-4980	2" S x 2" S x (12) ¾" RB	20	13.50




Spa Manifolds / ¾" Barb Adapters



413-1960



411-3490



425-1000




413-4360



413-1920




672-4310



413-1850




411-3700



411-3500



411-4060






413-1800



413-1860

¾" Barb Adapters

Part No.	Description	Case Quantity	List (US \$)
411-3700	90° Ell - ¾" RB x ¾" RB	150	2.18
413-1860	120° Wye - ¾" RB	150	5.91
413-1960	120° Wye - ¾" SB	250	4.50
413-1800	Tee - ¾" SB x ¾" SB x ¾" SB	150	3.11
413-1850	Tee - ¾" SB x ¾" SB x 3/8" SB	250	3.11
425-1000	½" Spigot x ¾" RB	300	1.41
425-1030	½" S x ¾" Spigot x ¾" RB	350	4.04
411-3500	90° Ell - ½" Spigot x ¾" RB	150	1.41
411-0360	90° Ell - ¾" Spigot x ½" S x ¾" SB	500	1.97
411-0350	90° Ell - ¾" Spigot x ½" S x ¾" RB	500	1.97
411-4060	90° Ell - ¾" Short Spigot x ¾" RB	300	1.93
411-4160	90° Ell - ¾" Spigot x ¾" SB Adapter	350	1.93
411-3490	Ell - 1" Spigot x ¾" RB	230	2.50
411-3480	Ell - 1" Spigot x ¾" SB	180	2.50
413-1920	Tee - 1" Spigot x (2) ¾" SB	180	3.33
672-4310	1" Spigot / ¾" S x ¾" RB	250	2.55
672-4320	1 ¼" Spigot / 1" S x ¾" RB	200	2.55
413-4360	1 ½" Spigot x ¾" SB	200	3.96
413-4370	1 ½" Spigot x ¾" RB	100	3.96
413-4510	2" Spigot x ¾" SB	125	4.72



¾" Barb Adapters

Part No.	Description	Case Quantity	List (US \$)
419-1920	¾" SB x ½" Spigot	400	4.72
419-0900	Coupling - ¾" SB x ¾" SB	250	4.72
425-1030	½" S / ¾" Spigot x ¾" RB	200	4.04
672-1460	¾" "C" Clip with Zip Tie Loops	1000	0.83
715-0340	¾" SmartPlumb Deep Inverted Plug	300	1.15



1" Barb Adapters

Part No.	Description	Case Quantity	List (US \$)
425-1010	1" Spigot / ¾" S x 1" RB	125	2.55



1 ½" Barb Adapters

Part No.	Description	Case Quantity	List (US \$)
417-6140	1 ½" MPT x 1 ½" Hose	260	2.83



Spa Miscellaneous & Accessories / Thermowells



Thermowells

Part No.	Description	Case Quantity	List (US \$)
400-4420	Mini Thermowell Assembly	100	12.37
400-4380	Thermosensor with Probe Protector	150	11.79
400-5540	90° Ell - 1 1/2" S x 1 1/2" S - with 2 Thermowells and Bushings	80	12.09
411-5520	Ell - 1 1/2" S x 1 1/2" S - with 2 Thermowells	25	8.78
400-5580	Ell - 1 1/2" S x 1 1/2" S - with Thermowell and Bushing	100	12.09
411-5540	90° Ell - 1 1/2" S x 1 1/2" S - with Thermowell	25	8.78
400-6040	90° Ell - 2" S x 2" Spigot x 3/8" Air Bleed - with Thermowell and 2 Bushing	60	13.48
411-6040	90° Ell - 2" S x 2" Spigot x Air Bleed - with Thermowell	60	12.29
805-0014	O-Ring for 90° Ell - 2" S x 2" Spigot x Air Bleed	100	0.52
811-8160	Bushing for Ells - 1 1/2" S x 1 1/2" S	100	0.81



421-1000



421-1050



421-4010



421-4070



421-4020



423-4000



417-6127



417-6137

Reducers

Part No.	Description	Case Quantity	List (US \$)
421-1000	Reducer - 2" Spigot x 1 1/2" Spigot	50	4.23
421-1050	Reducer - 1" Spigot x 1/2" S	225	1.61
421-4010	Reducer - 1 1/4" MPT x 1/2" FPT	150	7.58
421-4030	Reducer - 1 1/2" Spigot x 1" Spigot	100	3.65
421-4070	Reducer - 1 1/2" Socket x 2" Spigot	100	2.33
421-4020	Bell Reducer - 1 1/2" x 1" S	75	3.65
421-5000	Bell Reducer - 2" S x 1 1/2" S	150	4.54
417-6127	Metric Reducer - 1" Spigot x 32mm S	75	1.71
417-6137	Metric Reducer - 1 1/2" Spigot x 50mm S	50	3.66

Threaded Nipple

Part No.	Description	Case Quantity	List (US \$)
423-4000	1 1/2" Spigot x 1 1/2" MPT	25	5.89

2" Barb Adapter

Part No.	Description	Case Quantity	List (US \$)
417-6197	2" Spigot x 63mm S	50	6.12



715-0000



715-9870



715-9770



715-9850



Plugs

Part No.	Description	Case Quantity	List (US \$)
715-0000	1/2" Spigot	800	1.09
715-9890	3/4" Spigot	600	1.12
715-2000	1" Spigot	200	1.18
715-4000	1 1/2" Spigot	100	1.81
715-9880	2" Spigot	100	2.39
715-9870	3/8" Barb	100	0.91
715-0040	3/4" SmartPlumb Barb (New Style)	1300	0.85
715-9860	3/4" Barb (Old Style)	1000	0.85
715-9770	Cap Style - 3/8" RB	100	0.91
715-9850	3/8" Hose	100	0.58



FEATURES:

- Easy, snap together parts for quick assembly
- Packaged for retail sale
- 33" non-slip treads
- Made of durable UV protected polypropylene
- 800 lbs. weight capacity
- Available in multiple colors



Spa Steps

Part No.	Description	Color	Pallet Qty	List (US \$)
535-2209-BRK	33" Spa Step Assembly	Bark	32	146.83
535-2209-CIN	33" Spa Step Assembly	Cinnamon	32	146.83
535-2209-GPH	33" Spa Step Assembly	Graphite	32	146.83
535-2209-RDW	33" Spa Step Assembly	Redwood	32	146.83
535-2209-CSG	33" Spa Step Assembly	Coastal Gray	32	146.83
535-2209-MOC	33" Spa Step Assembly	Mocha Coffee	32	146.83
535-2300	Color Chip Sample Set			3.86

**FEATURES:**

- Low profile design
- Hose bib pulls out for easy access
- Protective cover seals against all possible leak points
- Optional metric adapter
- Plumbs to ¾" flex hose



600-9101 / 600-9167

Lo-Profile Spa Drain Fill Valve

Part No.	Description	Case Quantity	List (US \$)
600-9101	Lo-Profile Drain Fill Valve Assembly	50	16.71
600-9167	Metric Hose Adapter with Gasket	200	2.50



640-2000




400-3031

**Spa Drain and Fill Niche for Garden Hose Connection**

Part No.	Description	Case Quantity	List (US \$)
640-2000	1" S - Spa Drain/Fill Valve Assembly - White	100	17.51
640-2001	1" S - Spa Drain/Fill Valve Assembly - Black	100	17.51
600-9101	¾" Lo-Profile Drain Fill Valve Assembly	50	17.21
600-9167	Lo-Profile Drain Fill Valve Metric Adapter with Gasket	200	2.58
400-3031	½" Hose On/Off Spa Drain Valve with Niche	100	20.86
400-3021	¾" Hose On/Off Spa Drain Valve with Niche	75	20.86



400-2060



400-2100

On/Off Valves for Garden Hose

Part No.	Description	Case Quantity	List (US \$)
400-2060	½" Hose On/Off Valve Assembly	125	12.41
400-2070	¾" Hose On/Off Valve Assembly	125	12.41
400-2100	¾" S Hose On/Off Valve Assembly	125	12.41
519-0231	Drain Cap - ½" NHR	400	1.56
806-0100	Gasket - ¾"	250	1.15
872-0004	Shut-Off Valve	250	7.93
413-4400	Adapter - ½" S x Male Garden Hose	250	2.35
413-4410	Adapter - ¾" S x Male Garden Hose	200	2.35



ABS Plastic Hand Rails

Part No.	Description	Case Quantity	List (US \$)
616-4001	18" Hand Rail - Plastic - 1 1/4"	120	8.10
616-3001	12" Hand Rail - Plastic - 1 1/4"	170	5.11
611-5001	1 1/4" Rubber Grommet	300	1.90



Clear Acrylic Hand Rails

Part No.	Description	List (US \$)
616-1100	11" Clear Acrylic Hand Rail	14.41
616-1300	13" Clear Acrylic Hand Rail	15.73
616-1400	14" Clear Acrylic Hand Rail	17.04
616-1600	16" Clear Acrylic Hand Rail	18.36
616-1800	18" Clear Acrylic Hand Rail	19.67
616-2000	20" Clear Acrylic Hand Rail	21.00
611-6090	Rubber Grommet (<i>no angle</i>)	2.60
611-7000	Rubber Grommet	2.83

FEATURES:

- Easily sandwiches between most T&G skirt panels
- Louvered vent protects against weather and rodent intrusion
- Handle allows for easy removal of skirt panels
- LED compatible
- Available in multiple colors
- Measures 3.5" X 6.25"




Spa Handle Vent

Part No.	Description	List (US \$)
672-6560	Louvered Spa Vent	6.56

**FEATURES:**

- Automatically adjusts to temperature change:
Closed for cold or freezing conditions;
Open for hot conditions
- Easy through-wall installation
- Louvered grill to protect against weather and rodent intrusion
- Hole Saw Size: 4"

675-6531

**Adjustable Thermo Vent**

Part No.	Description	Case Quantity	List (US \$)
675-6530	Adjustable Thermo Vent	300	20.29

FEATURES:

- 4 3/4" overall diameter
- 4" diameter hole saw and vent area
- 0.100" diameter holes (148) for improved ventilation
- Available in assorted colors

4" Vent


Part No.	Description	Case Quantity	List (US \$)
672-0600	4" Vent	300	8.26



Misc / Accessories

Spa Cabinet Vents

Part No.	Description	Color	Case Quantity	List (US \$)
675-6501	Spa Vent Assembly – 2 5/16" x 8 1/2"	Black	150	5.24
675-6507	Spa Vent Assembly – 2 5/16" x 8 1/2"	Gray	150	5.24
675-6509-BRN	Spa Vent Assembly – 2 5/16" x 8 1/2"	Brown	150	5.24

**Aroma Therapy Canister and Beads**

Part No.	Description	Case Quantity	List (US \$)
670-2800	Aroma Therapy Canister Assembly - Ell Body	60	28.81
662-2700	Scented Aroma Therapy Beads - Ocean Pellets - .84 oz.	50	7.84
662-2710	Scented Aroma Therapy Beads - Kiwi - .76 oz.	50	7.84
662-2720	Scented Aroma Therapy Beads - Red Apple - .82 oz.	50	7.84
662-2730	Scented Aroma Therapy Beads - Floral - .86 oz.	50	7.84

