




FEATURES:

- Floating guillotine-style weir
- Easy through-wall installation (requires only one round hole to mount)
- 15 sq. ft.
- Easily accessible basket
- Skim Filter has easily accessible cartridge





For replacement parts, see page 299.


Deluxe Strip Skimmer and Strip Skim Filter


Part No.	Description	Case Quantity	List (US \$)
510-6900	Deluxe Strip Skimmer - 1 1/2" S	50	92.62
510-6910	Deluxe Strip Skim Filter - 1 1/2" S, 15 sq. ft.	50	141.90



Strip Skimmers			
Part No.	Description	Case Quantity	List (US \$)
640-6920	Strip Skimmer - 1 1/2" x Standard Nut	35	29.41
640-6940	Strip Skimmer - 1 1/2" x 90° Ell	25	34.07
640-6960	Strip Skimmer - 1 1/2" x Straight Adapter Nut	25	34.05
640-6600	Adjustable Strip Skimmer with Lint Basket - 1/2" S Ell	20	51.87


510-1500

510-1600

INCLUDES:

- 10 sq. ft. Cartridge
- EZ Flow Basket
- Flow Control Diverter Plate
- Trim Plate - White
- Mounting Gasket


510-1650T

INCLUDES:

- 10 sq. ft. Cartridges (2)
- EZ Flow Basket
- Flow Control Diverter Plate
- Trim Plate - White
- Mounting Gasket

For replacement parts, see page 311.

Front Access Skimmers and Skim Filters

Part No.	Description	Case Quantity	List (US \$)
510-1500	Square Spa Skimmer – 1 ½" S / 2" Spigot - Flow Control with Trim Plate	4	89.59
510-1600	Square Spa Skim Filter – 1 ½" / 2" Spigot - 10 sq. ft.	4	138.68
510-1650T	Square Spa Skim Filter – 1 ½" / 2" Spigot - 20 sq. ft.	2	177.21




FEATURES:

- 50 sq. ft. Cartridges (2) (100 sq. ft. total)
- 2" Spigot Output Ports (2)
- Extra Large 5 ½" x 14" Weir Area
- Extra Large 8" x 14" Basket
- Easy Access to Basket and Cartridges
- Easy Through-Wall Installation



510-6620



Hole Size 8.75" x 15.5"

FEATURES:

- 50 sq. ft. Cartridge
- 2" Spigot Output Port
- Easy access to basket and cartridges
- Easy Through-Wall Installation



510-9020





672-5090

Front Access Skim Filters			
Part No.	Description	Case Quantity	List (US \$)
510-9020	50 sq. ft. Front Access Skim Filter - Single Port - Oval Style	2	247.65
510-6620	100 sq. ft. Front Access Skim Filter - Dual Port - Oval Style	2	327.01
672-5090	100 sq. ft. Skim Filter Manifold Tee with Plug	20	23.33



FEATURES:

- New Roadster grill design
- 50 sq. ft. Cartridges (2) (100 sq. ft. total)
- 2" Spigot Output Ports (2)
- Extra Large 5 ½" x 14" Weir Area
- Extra Large 8" x 14" Basket
- Easy Access to Basket and Cartridges
- Easy Through-Wall Installation



510-6689DSG-PS

Skimmers / Filters

100 sq. ft. Front Access Roadster Skim Filter


Part No.	Description	Case Quantity	List (US \$)
510-6680	100 sq. ft. Front Access Roadster Skim Filter	--	340.78



Spa Skimmers and Filters / Teleweir Skim Filters

FEATURES:

- Cage-style tower eliminates unwanted vortexing
- Safety orientated
- Easily accessible basket for effortless cleaning
- Available in several different filter sizes
- 2" Socket IN/OUT plumbing
- Built in Check Valve
- Hole Saw Size: Ø 6.88"
- Custom logo plate available for volume orders



NEW



For replacement parts, see page 298.

Teleweir Skim Filters

Part No.	Description	"A" Dimension	Case Quantity	List (US \$)
510-4630	25 sq. ft. Teleweir Skim Filter	20.25 in.	20	222.24
510-4620	35 sq. ft. Teleweir Skim Filter	16.00 in.	20	233.34
510-4600	50 sq. ft. Teleweir Skim Filter	20.25 in.	20	237.35
510-4680	50 sq. ft. Teleweir Skim Filter - Low Volume	20.25 in.	20	237.35
510-4590	75 sq. ft. Teleweir Skim Filter	26.38 in.	20	249.41
510-4690	100 sq. ft. Teleweir Skim Filter	30.23 in.	20	255.00

FEATURES:

- Extra-large housing designed especially for Swim Spas
- Cage-style tower eliminates unwanted vortexing
- Safety orientated
- Easily accessible basket for effortless cleaning
- Hi capacity 2 ½" Socket IN/OUT Plumbing
- Built in check valve
- Hole saw size is 8.5"
- Custom logo plates available for volume orders




Mega Teleweir Skim Filters

Part No.	Description	"A" Dimension	List (US \$)
510-4570	75 sq. ft. Mega Teleweir Skim Filter	21.75 in.	278.65



FEATURES:

- Improved exclusive vent system for added safety
- Exclusive bayonet lock retains the basket and weir
- PVC upper threaded, middle and bottom body components are compatible with PVC glues and most silicones
- New compact sizes
- Traditional 4-scallop escutcheons to match the decor of the spa
- Telescoping weir has 6" of travel
- Built-in restriction valve for improved filtration with low volume
- Two basket sizes
- Dyna-Flo replacement parts fit all existing Dyna-Flo Top-Mount Filters
- Retrofits Dynamic Series Rainbow Skim Filters



DYNA-FLO PLUS




Low Volume
8 GPM Minimum



Hi Volume
15 GPM Minimum

LOW PROFILE DYNA-FLO



Low Volume
8 GPM Minimum



Hi Volume
15 GPM Minimum

For replacement parts, see page 302.

Dyna-Flo Top-Mount Skim Filters

Part No.	Size	Description	Height	List (US \$)
510-4520	2" Socket - 25 sq. ft.	Dyna-Flo Plus - Low Volume - 8 GPM Minimum	21 1/8"	232.04
510-4550	2" Socket - 50 sq. ft.	Dyna-Flo Plus - Low Volume - 8 GPM Minimum	21 1/8"	247.12
510-9520	2" Socket - 25 sq. ft.	Dyna-Flo Plus - Hi Volume - 15 GPM Minimum	21 1/8"	232.04
510-9540	2" Socket - 40 sq. ft.	Dyna-Flo Plus - Hi Volume - 15 GPM Minimum	17 1/4"	239.37
510-9550	2" Socket - 50 sq. ft.	Dyna-Flo Plus - Hi Volume - 15 GPM Minimum	21 1/8"	250.45
510-3520	2" Socket - 25 sq. ft.	Low Profile Dyna-Flo - Low Volume - 8 GPM Minimum	19 5/8"	222.24
510-3540	2" Socket - 40 sq. ft.	Low Profile Dyna-Flo - Low Volume - 8 GPM Minimum	15 3/4"	229.57
510-3550	2" Socket - 50 sq. ft.	Low Profile Dyna-Flo - Low Volume - 8 GPM Minimum	19 5/8"	237.35
510-6520	2" Socket - 25 sq. ft.	Low Profile Dyna-Flo - Hi Volume - 15 GPM Minimum	19 5/8"	222.24
510-6540	2" Socket - 40 sq. ft.	Low Profile Dyna-Flo - Hi Volume - 15 GPM Minimum	15 3/4"	229.57
510-6550	2" Socket - 50 sq. ft.	Low Profile Dyna-Flo - Hi Volume - 15 GPM Minimum	19 5/8"	237.35


For textured High-Volume Lock-Ring, add "T" to the end of the part number.



Spa Skimmers and Filters / Dyna-Flo XL Skim Filters and Ultra Skim Filter

FEATURES:

- Extra-large 10" diameter body for improved filtration
- Extra-large 6 1/2" diameter cartridge for larger cartridge sizes
- Exclusive "Vent System" for added safety
- PVC upper, middle and bottom sections are compatible with PVC glues and most silicones
- Available in 50, 75 and 100 sq. ft.
- Adjustable restrictor valve for variable flow control
- Extra-large basket
- Removable bypass valve for easy servicing
- Optional chemical feeder
- Available in 2" or 2 1/2" Socket In/Out



For replacement parts, see page 303.


Dyna-Flo XL Skim Filters

Part No.	Socket Size	Filter Size	Filter Length	List (US \$)
512-0270	2"	75 sq. ft.	21 3/4"	324.86
512-0210	2"	100 sq. ft.	26 1/4"	348.12
512-2550	2 1/2"	50 sq. ft.	21 3/4"	308.02
512-2570	2 1/2"	75 sq. ft.	21 3/4"	324.86
512-2510	2 1/2"	100 sq. ft.	26 1/4"	348.12

FEATURES:

- Skims water without the use of a weir
- No moving parts
- Uses the same size hole pattern as our standard Dyna-Flo
- Allows for a larger variance of water levels

NEW




514-6589-DSG

With turbine and weir



514-6550



Hole Saw Size 6.875"

For replacement parts, see page 304.


Ultra Skim Filter

Part No.	Description	Filter Size	Filter Length	List (US \$)
514-6550	Ultra Skim Filter XL 2" 50 sq ft	50 sq. ft.	19 5/8"	256.14
514-6580	Ultra Skim Filter XL 2" 50 sq ft w/Turbine and Weir	50 sq. ft.	19 5/8"	272.34



5.5" FILTER FEATURES:

- Top Load Filter
- 20 Sq. Ft. 2 7/8" X 19.5" Cartridge
- 1" Socket IN/OUT
- 1" Check Valve
- PVC Construction




510-3600



500-2500

For replacement parts, see page 300.



Custom sizes available.
Please contact your Waterway sales representative.

5.5" Top-Load Filters

Part No.	Description	List (US \$)
510-3600	1" - 20 sq. ft. Cartridge with Bypass Valve	176.47

7.5" Top-Load Filters


Part No.	Description	List (US \$)
500-2500	1 1/2" - 25 sq. ft. Cartridge with Plug	141.42
500-2510	1 1/2" - 25 sq. ft. Cartridge with Bypass Valve	166.66
500-2540	1 1/2" - 25 sq. ft. Cartridge with Plug and 10-Tablet Brominator	194.60
500-2550	1 1/2" - 25 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	194.60
500-5000	1 1/2" - 50 sq. ft. Cartridge with Plug	193.10
500-5010	1 1/2" - 50 sq. ft. Cartridge with Bypass Valve	193.10
500-5050	1 1/2" - 50 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	220.55
500-6010	1 1/2" - without Cartridge - with Bypass Valve	157.85
500-6050	1 1/2" - without Cartridge - with Bypass Valve and 10-Tablet Brominator	185.48
502-2500	2" - 25 sq. ft. Cartridge with Plug	178.77
502-2510	2" - 25 sq. ft. Cartridge with Bypass Valve	178.77
502-2530	2" - 25 sq. ft. Cartridge with Bypass Valve and Flow Restriction Tube	191.08
502-2550	2" - 25 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	194.60
502-5000	2" - 50 sq. ft. Cartridge with Plug	193.10
502-5010	2" - 50 sq. ft. Cartridge with Bypass Valve	193.10
502-5030	2" - 50 sq. ft. Cartridge with Bypass Valve and Flow Restriction Tube	205.50
502-5050	2" - 50 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	220.55



Spa Skimmers and Filters / Top-Load Extended Filters



500-7500




7.5" Top-Load Extended Filters, 1 ½

Part No.	Description	List (US \$)
500-7500	75 sq. ft. Cartridge with Plug	231.15
500-7510	75 sq. ft. Cartridge with Bypass Valve	231.15
500-7550	75 sq. ft. Cartridge with Bypass Valve and 10 Tablet Brominator	258.58
500-9900	100 sq. ft. Cartridge with Plug	242.70
500-9910	100 sq. ft. Cartridge with Bypass Valve	242.70
500-9950	100 sq. ft. Cartridge with Bypass Valve and 10 Tablet Brominator	281.70

7.5" Top-Load Extended Filters, 2

Part No.	Description	List (US \$)
502-7500	75 sq. ft. Cartridge with Plug	231.14
502-7510	75 sq. ft. Cartridge with Bypass Valve	231.14
502-7550	75 sq. ft. Cartridge with Bypass Valve and 10 Tablet Brominator	251.07
502-9900	100 sq. ft. Cartridge with Plug	242.70
502-9910	100 sq. ft. Cartridge with Bypass Valve	242.70

**FEATURES:**

- Contains 10 Bromine
- Clear Container
- Bromine Adjustable Knob


NEW

**Filter Accessories**

Part No.	Description	Case Quantity	List (US \$)
500-1021	Filter Niche with 2-Cup Holder Lid and Screws - Black	6	32.08
400-9140	Cartridge Mounting Assembly - 1 1/2" NPT - with Grate	150	8.43
212-1810	Thru Wall Fitting Assembly - 1/2" S x 1/2" S	150	12.38
400-9030	Cartridge Mounting Assembly with Grate - 2" S x 1 1/2" Acme	100	15.09
212-1820	Bulkhead Wall Fitting Assembly - 3/4" RB	150	12.38
400-9220	Vent Wall Fitting Assembly with Grate (<i>color matching available</i>)	50	7.73
500-1098	10-Tablet Brominator Assembly	70	27.45
640-3170	Suction Wall Fitting Assembly with Bypass Valve	40	17.34
400-9120	Cartridge Mounting Assembly - 1 1/2" NPT	150	7.73
400-9130	Cartridge Mounting Assembly - 2" NPT	100	15.09
670-2000	Water Nozzle Wall Fitting Assembly	200	6.96
640-4220	Lo-Pro 3/4" SB 90° Return Fitting Assembly	40	19.75
640-4240	Lo-Pro 3/4" S 90° Return Fitting Assembly	40	19.75
640-4230	Lo-Pro 1" S 90° Return Fitting Assembly	40	19.75
400-9150	Return Wall Fitting Assembly - 1 1/2" FPT x 1 1/2" S	50	9.62
212-1831	Swirl Style Bulkhead Fitting - 3/4" RB	150	12.38



Spa Skimmers and Filters / Skimmer and Skim Filter Options & Weirs



Skim Filter Gaskets


Part No.	Description	Case Quantity	List (US \$)
711-3280	Double-Seal Gasket	100	6.65
711-8010	Grommet Gasket	--	4.72

Spa Mounting Plate

Part No.	Description	Case Quantity	List (US \$)
550-1600	Spa Skimmer Mounting Plate with Screws	50	14.41

Filter Extensions

Part No.	Description	Case Quantity	List (US \$)
510-1150	Filter Extension Assembly	1	30.95
519-2041	Filter Extension - Cover	1	10.82
519-2031	Filter Extension - Body	1	17.01




Weirs

Part No.	Description	Case Quantity	List (US \$)
680-2000	Custom Weir Assembly - 13 1/8" H x 23 1/4" W (customized logo & color with quantity order)	25	173.35
550-7760	Skimmer Frame & Weir Assembly with Waterfall	--	173.35
550-5610	Curved Weir Frame Assembly - 13" H x 20 3/4" W	--	65.81
550-0120	Tiered Weir Frame Assembly	--	88.44
550-6100	Weir Frame Assembly - 13 5/8" H x 13 7/16" W S-10 style	--	76.36
550-6110	Weir Frame 21 1/8" W x 13 1/2" S-10 style	--	90.13



Weir Accessories

Part No.	Description	List (US \$)
550-0411	Weir Mounting Brackets	10.32



817-2500

817-7500

Replacement Cartridges for In-Line and Top-Load Filters

Part No.	Description	Dimensions	Case Quantity	List (US \$)
817-3640	Cartridge - 20 sq. ft.	3" OD x 19.5" L Cartridge	--	35.17
817-2500	Cartridge - 25 sq. ft.	4 15/16" OD x 13 5/16" L	--	53.51
817-5000	Cartridge - 50 sq. ft.	4 15/16" OD x 13 5/16" L	16	76.94
817-7500	Cartridge - 75 sq. ft.	4 15/16" OD x 23 5/8" L	--	105.99
817-1000	Cartridge - 100 sq. ft.	4 15/16" OD x 23 5/8" L	--	116.30



Skim Filter Replacement Cartridge

Skim Filter Replacement Cartridges

Part No.	Size	Dimensions	Top Load	Front Access	List (US \$)
817-0010	10 sq. ft.	4 1/4" outer diameter x 4" L		x	33.66
817-3501	35 sq. ft.	4 15/16" outer diameter x 9 1/4" L (1 piece)		x	50.78
817-3510	35 sq. ft.	4 15/16" outer diameter x 4 5/8" L (2 pieces)		x	67.83
817-5010	50 sq. ft.	4 15/16" outer diameter x 6 5/8" L (2 pieces)		x	78.90
817-0050	50 sq. ft.	6" outer diameter x 8 1/4" L		x	76.51
817-0011	50 sq. ft.	6" outer diameter x 8 1/4" L (2 pieces upper)		x	76.51
817-0012	50 sq. ft.	6" outer diameter x 8 1/4" L (2 pieces lower)		x	76.51
817-2500	25 sq. ft.	5" outer diameter x 13 1/4" L	x		53.51
817-5000	50 sq. ft.	5" outer diameter x 13 1/4" L (1 piece)	x		76.94
817-0014	50 sq. ft.	5 5/16" outer diameter x 10 1/8" L	x		84.48
817-0015	75 sq. ft.	5 5/16" outer diameter x 14 13/16" L	x		105.71
817-7500	75 sq. ft.	5" outer diameter x 23 5/8" L (2 pieces)	x		105.99
817-0016	100 sq. ft.	5 5/16" outer diameter x 17 13/16" L	x		123.21
817-1000	100 sq. ft.	5" outer diameter x 23 5/8" L	x		116.30